

# Package ‘BPrinStratTTE’

July 21, 2025

**Title** Causal Effects in Principal Strata Defined by Antidrug Antibodies

**Version** 0.0.7

**Description** Bayesian models to estimate causal effects of biological treatments on time-to-event endpoints in clinical trials with principal strata defined by the occurrence of antidrug antibodies. The methodology is based on Frangakis and Rubin (2002)  [<doi:10.1111/j.0006-341x.2002.00021.x>](https://doi.org/10.1111/j.0006-341x.2002.00021.x) and Imbens and Rubin (1997)  [<doi:10.1214/aos/1034276631>](https://doi.org/10.1214/aos/1034276631), and here adapted to a specific time-to-event setting.

**License** GPL (>= 3)

**Encoding** UTF-8

**URL** <https://github.com/Boehringer-Ingelheim/BPrinStratTTE>,  
<https://boehringer-ingelheim.github.io/BPrinStratTTE/>

**BugReports** <https://github.com/Boehringer-Ingelheim/BPrinStratTTE/issues>

**RoxygenNote** 7.3.1

**Imports** dplyr, furrr, magrittr, methods, purrr, Rcpp (>= 0.12.0), RcppParallel (>= 5.0.1), rstan (>= 2.18.1), rstantools (>= 2.4.0), stats, stringr, tibble

**Biarch** true

**Depends** R (>= 3.4.0)

**LinkingTo** BH (>= 1.66.0), Rcpp (>= 0.12.0), RcppEigen (>= 0.3.3.3.0), RcppParallel (>= 5.0.1), rstan (>= 2.18.1), StanHeaders (>= 2.18.0)

**SystemRequirements** GNU make

**Suggests** spelling

**Language** en-US

**NeedsCompilation** yes

**Author** Christian Stock [aut, cre] (ORCID:  
    <<https://orcid.org/0000-0002-3493-3234>>),  
    Emma Torrini [aut],  
    Boehringer Ingelheim Pharma GmbH & Co. KG [cph, fnd]  
**Maintainer** Christian Stock <[christian.stock@boehringer-ingelheim.com](mailto:christian.stock@boehringer-ingelheim.com)>  
**Repository** CRAN  
**Date/Publication** 2024-04-13 09:20:02 UTC

Contents

|                                           |           |
|-------------------------------------------|-----------|
| BPrinStratTTE-package . . . . .           | 2         |
| fit_mult_exp_covar . . . . .              | 3         |
| fit_mult_exp_nocovar . . . . .            | 4         |
| fit_single_exp_covar . . . . .            | 6         |
| fit_single_exp_nocovar . . . . .          | 8         |
| inv_logit . . . . .                       | 10        |
| logit . . . . .                           | 11        |
| ocs_exp_covar . . . . .                   | 12        |
| ocs_exp_nocovar . . . . .                 | 14        |
| run_sim_exp_covar . . . . .               | 15        |
| run_sim_exp_nocovar . . . . .             | 17        |
| sim_dat_mult_trials_exp_covar . . . . .   | 18        |
| sim_dat_mult_trials_exp_nocovar . . . . . | 19        |
| sim_dat_one_trial_exp_covar . . . . .     | 20        |
| sim_dat_one_trial_exp_nocovar . . . . .   | 22        |
| true_vals_exp_covar . . . . .             | 24        |
| true_vals_exp_nocovar . . . . .           | 25        |
| <b>Index</b>                              | <b>28</b> |

---

BPrinStratTTE-package    *The 'BPrinStratTTE' package.*

---

Description

Bayesian models to estimate causal effects of biological treatments on time-to-event endpoints in clinical trials with principal strata defined by the occurrence of antidrug antibodies. The methodology is based on Frangakis and Rubin (2002) [doi:10.1111/j.0006-341x.2002.00021.x](#) and Imbens and Rubin (1997) [doi:10.1214/aos/1034276631](#), and intended to be applied to a specific time-to-event setting.#

References

Stan Development Team (2022). RStan: the R interface to Stan. R package version 2.21.5. <https://mc-stan.org>

---

|                    |                                                                                                                                                             |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| fit_mult_exp_covar | <i>Fit multiple models to data from two-arm trials with an exponentially distributed time-to-event endpoint and one predictor of the intercurrent event</i> |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|

---

## Description

Fit multiple models to data from two-arm trials with an exponentially distributed time-to-event endpoint and one predictor of the intercurrent event

## Usage

```
fit_mult_exp_covar(dat_mult_trials, params, seed = 23)
```

## Arguments

|                 |                                                                             |
|-----------------|-----------------------------------------------------------------------------|
| dat_mult_trials | List generated by <code>sim_dat_mult_trials_exp_covar</code> .              |
| params          | List of model parameters as supplied to <code>fit_single_exp_covar</code> . |
| seed            | Numeric value, seed for reproducibility.                                    |

## Value

A list of objects generated by `fit_single_exp_covar`.

## See Also

[sim\\_dat\\_mult\\_trials\\_exp\\_covar\(\)](#), [fit\\_single\\_exp\\_covar\(\)](#), [fit\\_mult\\_exp\\_nocovar\(\)](#)

## Examples

```
d_params_covar <- list(
  n = 1000,
  nt = 500,
  prob_X1 = 0.4,
  prob_ice_X1 = 0.5,
  prob_ice_X0 = 0.2,
  fu_max = 48*7,
  prop_cens = 0.15,
  T0T_rate = 0.2,
  T0N_rate = 0.2,
  T1T_rate = 0.15,
  T1N_rate = 0.1
)
dat_mult_trials <- sim_dat_mult_trials_exp_covar(
  n_iter = 2,
  params = d_params_covar
)
m_params_covar <- list(
```

```

    tg = 48,
    p = 2,
    prior_delta = matrix(
      c(0, 5, 0, 5),
      nrow = 2, byrow = TRUE),
    prior_0N = c(1.5, 5),
    prior_1N = c(1.5, 5),
    prior_0T = c(1.5, 5),
    prior_1T = c(1.5, 5),
    t_grid = seq(7, 7 * 48, 7) / 30,
    chains = 2,
    n_iter = 3000,
    warmup = 1500,
    cores = 2,
    open_progress = FALSE,
    show_messages = TRUE
  )

  fit_multiple <- fit_mult_exp_covar(
    dat_mult_trials = dat_mult_trials,
    params = m_params_covar,
    seed = 12
  )
  lapply(fit_multiple, dim)
  head(fit_multiple[[1]])

```

---

|                      |                                                                                                                                                            |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| fit_mult_exp_nocovar | <i>Fit multiple models to data from two-arm trials with an exponentially distributed time-to-event endpoint and no predictor of the intercurrent event</i> |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|

---

## Description

Fit multiple models to data from two-arm trials with an exponentially distributed time-to-event endpoint and no predictor of the intercurrent event

## Usage

```
fit_mult_exp_nocovar(dat_mult_trials, params, seed = 23)
```

## Arguments

|                 |                                                                 |
|-----------------|-----------------------------------------------------------------|
| dat_mult_trials | List generated by sim_dat_mult_trials_exp_nocovar.              |
| params          | List of model parameters as supplied to fit_single_exp_nocovar. |
| seed            | Numeric value, seed for reproducibility.                        |

**Value**

A list of objects generated by `fit_single_exp_nocovar`.

**See Also**

[sim\\_dat\\_mult\\_trials\\_exp\\_nocovar\(\)](#), [fit\\_single\\_exp\\_nocovar\(\)](#), [fit\\_mult\\_exp\\_covar\(\)](#)

**Examples**

```
d_params_nocovar <- list(
  n = 500L,
  nt = 250L,
  prob_ice = 0.5,
  fu_max = 336L,
  prop_cens = 0.15,
  T0T_rate = 0.2,
  T0N_rate = 0.2,
  T1T_rate = 0.15,
  T1N_rate = 0.1
)
dat_mult_trials <- sim_dat_mult_trials_exp_nocovar(
  n_iter = 2,
  params = d_params_nocovar
)
m_params_nocovar <- list(
  tg = 48L,
  prior_piT = c(0.5, 0.5),
  prior_0N = c(1.5, 5),
  prior_1N = c(1.5, 5),
  prior_0T = c(1.5, 5),
  prior_1T = c(1.5, 5),
  t_grid = seq(7, 7 * 48, 7) / 30,
  chains = 2L,
  n_iter = 3000L,
  warmup = 1500L,
  cores = 2L,
  open_progress = FALSE,
  show_messages = TRUE
)

fit_multiple <- fit_mult_exp_nocovar(
  dat_mult_trials = dat_mult_trials,
  params = m_params_nocovar,
  seed = 12
)
lapply(fit_multiple, dim)
head(fit_multiple[[1]])
```

---

|                      |                                                                                                                                                           |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| fit_single_exp_covar | <i>Fit single model to data from a two-arm trial with an exponentially distributed time-to-event endpoint and one predictor of the intercurrent event</i> |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|

---

## Description

Fit single model to data from a two-arm trial with an exponentially distributed time-to-event endpoint and one predictor of the intercurrent event

## Usage

```
fit_single_exp_covar(data, params, summarize_fit = TRUE)
```

## Arguments

|        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| data   | Data frame of a structure as generated by <code>sim_dat_one_trial_exp_covar()</code> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| params | List, containing model parameters: <ul style="list-style-type: none"> <li>• <code>tg</code> Positive integer value, number of intervals to calculate restricted mean survival time using the trapezoidal rule.</li> <li>• <code>p</code> Positive integer value, number of predictors of the intercurrent event of interest (i.e. the event that determines the principal stratum membership).</li> <li>• <code>prior_delta</code> px2 matrix of positive numerical values, containing normal priors (mean and standard deviation) of the model parameter delta.</li> <li>• <code>prior_0N</code> Numeric vector of length 2, containing parameters (alpha, beta) of the gamma prior on <code>lambda_0N</code>.</li> <li>• <code>prior_1N</code> Numeric vector of length 2, containing parameters (alpha, beta) of the gamma prior on <code>lambda_1N</code>.</li> <li>• <code>prior_0T</code> Numeric vector of length 2, containing parameters (alpha, beta) of the gamma prior on <code>lambda_0T</code>.</li> <li>• <code>prior_1T</code> Numeric vector of length 2, containing parameters (alpha, beta) of the gamma prior on <code>lambda_1T</code>.</li> <li>• <code>t_grid</code> Numeric vector of length <code>tg</code>, containing time points defining the time grid (in months) to calculate restricted mean survival time using the trapezoidal rule.</li> <li>• <code>chains</code> Positive integer value, specifying the number of Markov chains.</li> <li>• <code>n_iter</code> Positive integer value, specifying the number of iterations for each chain (including warmup).</li> <li>• <code>warmup</code> Positive integer value, specifying the number of warmup (aka burnin) iterations per chain.</li> <li>• <code>cores</code> Positive integer value, specifying the number of cores to use when executing the chains in parallel.</li> <li>• <code>open_progress</code> Logical value, indicating whether the progress of the chains will be redirected to a file that is automatically opened for inspection.</li> </ul> |

- `show_messages` Logical value, indicating whether to print the summary of informational messages.
- `summarize_fit` Logical, if TRUE (default), the output is restricted to a summary of results on key parameters over all chains, if FALSE, the complete stanfit object is returned.

### Details

The data supplied as `params` are used either as priors (`prior_delta`, `prior_0N`, `prior_1N`, `prior_1T`), to inform the model setup (`tg`, `p`, `t_grid`), or as parameters to `rstan::sampling()` which is invoked internally (`chains`, `n_iter`, `warmup`, `cores`, `open_progress`, `show_messages`).

### Value

`tibble()` containing a summary of results on key parameters, or a `stanfit` object (S4 class), depending on `summarize_fit`.

### See Also

[fit\\_single\\_exp\\_nocovar\(\)](#) and `rstan::sampling()`

### Examples

```
d_params_covar <- list(
  n = 1000,
  nt = 500,
  prob_X1 = 0.4,
  prob_ice_X1 = 0.5,
  prob_ice_X0 = 0.2,
  fu_max = 48*7,
  T0T_rate = 0.2,
  T0N_rate = 0.2,
  T1T_rate = 0.15,
  T1N_rate = 0.1
)
dat_single_trial <- sim_dat_one_trial_exp_covar(
  n = d_params_covar[["n"]],
  nt = d_params_covar[["nt"]],
  prob_X1 = d_params_covar[["prob_X1"]],
  prob_ice_X1 = d_params_covar[["prob_ice_X1"]],
  prob_ice_X0 = d_params_covar[["prob_ice_X0"]],
  fu_max = d_params_covar[["fu_max"]],
  T0T_rate = d_params_covar[["T0T_rate"]],
  T0N_rate = d_params_covar[["T0N_rate"]],
  T1T_rate = d_params_covar[["T1T_rate"]],
  T1N_rate = d_params_covar[["T1N_rate"]]
)
m_params_covar <- list(
  tg = 48,
  p = 2,
  prior_delta = matrix(
    c(0, 5, 0, 5),
    nrow = 2, byrow = TRUE),
```

```

prior_0N = c(1.5, 5),
prior_1N = c(1.5, 5),
prior_0T = c(1.5, 5),
prior_1T = c(1.5, 5),
t_grid = seq(7, 7 * 48, 7) / 30,
chains = 2,
n_iter = 3000,
warmup = 1500,
cores = 2,
open_progress = FALSE,
show_messages = FALSE
)

fit_single <- fit_single_exp_covar(
  data = dat_single_trial,
  params = m_params_covar,
  summarize_fit = FALSE
)
print(fit_single)

```

---

fit\_single\_exp\_nocovar

*Fit single model to data from a two-arm trial with an exponentially distributed time-to-event endpoint and no predictor of the intercurrent event*

---

## Description

Fit single model to data from a two-arm trial with an exponentially distributed time-to-event endpoint and no predictor of the intercurrent event

## Usage

```
fit_single_exp_nocovar(data, params, summarize_fit = TRUE)
```

## Arguments

- |        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| data   | Data frame of a structure as generated by <code>sim_dat_one_trial_exp_nocovar()</code> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| params | List, containing model parameters: <ul style="list-style-type: none"> <li>• <code>tg</code> Positive integer value, number of intervals to calculate restricted mean survival time using the trapezoidal rule.</li> <li>• <code>prior_piT</code> Numeric vector of length 2, containing parameters (alpha, beta) of the beta prior on pi, indicating the probability of belonging to the stratum of subjects developing the intercurrent event if given treatment.</li> <li>• <code>prior_0N</code> Numeric vector of length 2, containing parameters (alpha, beta) of the gamma prior on lambda_0N.</li> </ul> |

- `prior_1N` Numeric vector of length 2, containing parameters (alpha, beta) of the gamma prior on `lambda_1N`.
- `prior_0T` Numeric vector of length 2, containing parameters (alpha, beta) of the gamma prior on `lambda_0T`.
- `prior_1T` Numeric vector of length 2, containing parameters (alpha, beta) of the gamma prior on `lambda_1T`.
- `t_grid` Numeric vector of length `tg`, containing time points defining the time grid (in months) to calculate restricted mean survival time using the trapezoidal rule.
- `chains` Positive integer value, specifying the number of Markov chains.
- `n_iter` Positive integer value, specifying the number of iterations for each chain (including warmup).
- `warmup` Positive integer value, specifying the number of warmup (aka burnin) iterations per chain.
- `cores` Positive integer value, specifying the number of cores to use when executing the chains in parallel.
- `open_progress` Logical value, indicating whether the progress of the chains will be redirected to a file that is automatically opened for inspection.
- `show_messages` Logical value, indicating whether to print the summary of informational messages.

`summarize_fit` Logical, if TRUE (default), the output is restricted to a summary of results on key parameters over all chains, if FALSE, the complete `stanfit` object is returned.

## Details

The data supplied as `params` are used either as priors (`prior_delta`, `prior_0N`, `prior_1N`, `prior_1T`), to inform the model setup (`tg`, `p`, `t_grid`), or as parameters to `rstan::sampling()` which is invoked internally (`chains`, `n_iter`, `warmup`, `cores`, `open_progress`, `show_messages`).

## Value

`tibble()` containing a summary of results on key parameters, or a `stanfit` object, depending on `summarize_fit`.

## See Also

[fit\\_single\\_exp\\_covar\(\)](#) and `rstan::sampling()`

## Examples

```
d_params_nocovar <- list(
  n = 500L,
  nt = 250L,
  prob_ice = 0.5,
  fu_max = 336L,
  T0T_rate = 0.2,
  T0N_rate = 0.2,
  T1T_rate = 0.15,
```

```

    T1N_rate = 0.1
  )
  dat_single_trial <- sim_dat_one_trial_exp_nocovar(
    n = d_params_nocovar[["n"]],
    nt = d_params_nocovar[["nt"]],
    prob_ice = d_params_nocovar[["prob_ice"]],
    fu_max = d_params_nocovar[["fu_max"]],
    T0T_rate = d_params_nocovar[["T0T_rate"]],
    T0N_rate = d_params_nocovar[["T0N_rate"]],
    T1T_rate = d_params_nocovar[["T1T_rate"]],
    T1N_rate = d_params_nocovar[["T1N_rate"]]
  )
  m_params_nocovar <- list(
    tg = 48L,
    prior_piT = c(0.5, 0.5),
    prior_0N = c(1.5, 5),
    prior_1N = c(1.5, 5),
    prior_0T = c(1.5, 5),
    prior_1T = c(1.5, 5),
    t_grid = seq(7, 7 * 48, 7) / 30,
    chains = 2L,
    n_iter = 3000L,
    warmup = 1500L,
    cores = 2L,
    open_progress = FALSE,
    show_messages = TRUE
  )

  fit_single <- fit_single_exp_nocovar(
    data = dat_single_trial,
    params = m_params_nocovar,
    summarize_fit = TRUE
  )
  print(fit_single)

```

---

inv\_logit

*Inverse logit function*


---

### Description

Inverse logit function

### Usage

```
inv_logit(x)
```

### Arguments

x                      Numeric value (usually a logarithm of odds).

**Details**

The inverse logit function is also known as logistic function.

**Value**

Numeric value on the interval  $[0, 1]$ , result of  $\log(\pi/(1-\pi))$ .

Numeric value, result of  $\exp(x)/(1+\exp(x))$ .

**See Also**

[logit\(\)](#)

**Examples**

```
# probabilities
prob_ICE_base <- 0.3
prob_ICE_risk <- 0.6
# model coefficients
(beta1 <- logit(prob_ICE_base))
(beta2 <- logit(prob_ICE_risk) - logit(prob_ICE_base))
# linear predictor
logit(prob_ICE_base); (lin_pred1 <- beta1 + beta2*0)
logit(prob_ICE_risk); (lin_pred2 <- beta1 + beta2*1)
# inverse logit of linear predictor
(inv_logit(lin_pred1)) # prob for X1 = 0
(inv_logit(lin_pred2)) # prob for X1 = 1
```

---

logit

*Logit function*

---

**Description**

Logit function

**Usage**

```
logit(pi)
```

**Arguments**

pi                      Numeric value on the interval  $[0, 1]$  (usually a probability).

**Value**

Numeric value, result of  $\log(\pi/(1-\pi))$ .

**See Also**

[inv\\_logit\(\)](#)

## Examples

```
# probabilities
prob_ICE_base <- 0.3
prob_ICE_risk <- 0.6
# model coefficients
(beta1 <- logit(prob_ICE_base))
(beta2 <- logit(prob_ICE_risk) - logit(prob_ICE_base))
# linear predictor
logit(prob_ICE_base); (lin_pred1 <- beta1 + beta2*0)
logit(prob_ICE_risk); (lin_pred2 <- beta1 + beta2*1)
# inverse logit of linear predictor
(inv_logit(lin_pred1)) # prob for X1 = 0
(inv_logit(lin_pred2)) # prob for X1 = 1
```

---

|               |                                                                                                                                                                             |
|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ocs_exp_covar | <i>Determine operating characteristics of fits from two-arm trials with an exponentially distributed time-to-event endpoint and one predictor of the intercurrent event</i> |
|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

---

## Description

Determine operating characteristics of fits from two-arm trials with an exponentially distributed time-to-event endpoint and one predictor of the intercurrent event

## Usage

```
ocs_exp_covar(multiple_fits, d_params, m_params)
```

## Arguments

|               |                                                                               |
|---------------|-------------------------------------------------------------------------------|
| multiple_fits | List of model fits from <code>fit_mult_exp_covar</code> .                     |
| d_params      | List of data parameters as used in <code>sim_dat_one_trial_exp_covar</code> . |
| m_params      | List of model parameters as used in <code>fit_single_exp_covar</code> .       |

## Details

This function is used in `run_sim_exp_covar()`, the output of the two functions is the same.

## Value

A list of length 3, containing objects call `ocs`, `d_params`, `m_params`, where `ocs` is a tibble containing averaged parameter estimates and operating characteristics, and `d_params` and `m_params` are the objects supplied to the function.

## See Also

[ocs\\_exp\\_nocovar\(\)](#) and [run\\_sim\\_exp\\_covar\(\)](#).

**Examples**

```

d_params_covar <- list(
  n = 1000,
  nt = 500,
  prob_X1 = 0.4,
  prob_ice_X1 = 0.5,
  prob_ice_X0 = 0.2,
  fu_max = 48*7,
  prop_cens = 0.15,
  T0T_rate = 0.2,
  T0N_rate = 0.2,
  T1T_rate = 0.15,
  T1N_rate = 0.1
)
dat_mult_trials <- sim_dat_mult_trials_exp_covar(
  n_iter = 2,
  params = d_params_covar
)
m_params_covar <- list(
  tg = 48,
  p = 2,
  prior_delta = matrix(
    c(0, 5, 0, 5),
    nrow = 2, byrow = TRUE),
  prior_0N = c(1.5, 5),
  prior_1N = c(1.5, 5),
  prior_0T = c(1.5, 5),
  prior_1T = c(1.5, 5),
  t_grid = seq(7, 7 * 48, 7) / 30,
  chains = 2,
  n_iter = 3000,
  warmup = 1500,
  cores = 2,
  open_progress = FALSE,
  show_messages = TRUE
)

fit_multiple <- fit_mult_exp_covar(
  dat_mult_trials = dat_mult_trials,
  params = m_params_covar,
  seed = 12
)
list_ocs <- ocs_exp_covar(
  multiple_fits = fit_multiple,
  d_params = d_params_covar,
  m_params = m_params_covar
)
print(list_ocs)

```

---

|                 |                                                                                                                                                                            |
|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ocs_exp_nocovar | <i>Determine operating characteristics of fits from two-arm trials with an exponentially distributed time-to-event endpoint and no predictor of the intercurrent event</i> |
|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

---

## Description

Determine operating characteristics of fits from two-arm trials with an exponentially distributed time-to-event endpoint and no predictor of the intercurrent event

## Usage

```
ocs_exp_nocovar(multiple_fits, d_params, m_params)
```

## Arguments

|               |                                                                                 |
|---------------|---------------------------------------------------------------------------------|
| multiple_fits | List of model fits from <code>fit_mult_exp_nocovar</code> .                     |
| d_params      | List of data parameters as used in <code>sim_dat_one_trial_exp_nocovar</code> . |
| m_params      | List of model parameters as used in <code>fit_single_exp_nocovar</code> .       |

## Details

This function is used in `run_sim_exp_nocovar()`, the output of the two functions is the same.

## Value

A list of length 3, containing objects call `ocs`, `d_params`, `m_params`, where `ocs` is a tibble containing averaged parameter estimates and operating characteristics, and `d_params` and `m_params` are the objects supplied to the function.

## See Also

[ocs\\_exp\\_covar\(\)](#) and [run\\_sim\\_exp\\_nocovar\(\)](#).

## Examples

```
d_params_nocovar <- list(
  n = 500L,
  nt = 250L,
  prob_ice = 0.5,
  fu_max = 336L,
  prop_cens = 0.15,
  T0T_rate = 0.2,
  T0N_rate = 0.2,
  T1T_rate = 0.15,
  T1N_rate = 0.1
)
dat_mult_trials <- sim_dat_mult_trials_exp_nocovar(
```

```

    n_iter = 2,
    params = d_params_nocovar
  )
  m_params_nocovar <- list(
    tg = 48L,
    prior_piT = c(0.5, 0.5),
    prior_0N = c(1.5, 5),
    prior_1N = c(1.5, 5),
    prior_0T = c(1.5, 5),
    prior_1T = c(1.5, 5),
    t_grid = seq(7, 7 * 48, 7) / 30,
    chains = 2L,
    n_iter = 3000L,
    warmup = 1500L,
    cores = 2L,
    open_progress = FALSE,
    show_messages = TRUE
  )

  fit_multiple <- fit_mult_exp_nocovar(
    dat_mult_trials = dat_mult_trials,
    params = m_params_nocovar,
    seed = 12
  )
  list_ocs <- ocs_exp_nocovar(
    multiple_fits = fit_multiple,
    d_params = d_params_nocovar,
    m_params = m_params_nocovar
  )
  print(list_ocs)

```

---

|                   |                                                                                                                                              |
|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| run_sim_exp_covar | <i>Run simulation of two-arm trials with an exponentially distributed time-to-event endpoint and one predictor of the intercurrent event</i> |
|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------|

---

## Description

Run simulation of two-arm trials with an exponentially distributed time-to-event endpoint and one predictor of the intercurrent event

## Usage

```
run_sim_exp_covar(n_iter, d_params, m_params, seed)
```

## Arguments

|          |                                                                   |
|----------|-------------------------------------------------------------------|
| n_iter   | Positive integer value, number of trials to be simulated.         |
| d_params | List of data parameters as used in sim_dat_one_trial_exp_nocovar. |

|          |                                                             |
|----------|-------------------------------------------------------------|
| m_params | List of model parameters as used in fit_single_exp_nocovar. |
| seed     | Numeric value, seed for reproducibility.                    |

**Value**

A list of length 3, containing objects call ocs, d\_params, m\_params, where ocs is a tibble containing averaged parameter estimates and operating characteristics, and d\_params and m\_params are the objects supplied to the function.

**See Also**

[run\\_sim\\_exp\\_nocovar\(\)](#)

**Examples**

```
d_params_covar <- list(
  n = 1000,
  nt = 500,
  prob_X1 = 0.4,
  prob_ice_X1 = 0.5,
  prob_ice_X0 = 0.2,
  fu_max = 336L,
  prop_cens = 0.15,
  T0T_rate = 0.2,
  T0N_rate = 0.2,
  T1T_rate = 0.15,
  T1N_rate = 0.1
)
m_params_covar <- list(
  tg = 48,
  p = 2,
  prior_delta = matrix(
    c(0, 5, 0, 5),
    nrow = 2, byrow = TRUE),
  prior_0N = c(1.5, 5),
  prior_1N = c(1.5, 5),
  prior_0T = c(1.5, 5),
  prior_1T = c(1.5, 5),
  t_grid = seq(7, 7 * 48, 7) / 30,
  chains = 2,
  n_iter = 3000,
  warmup = 1500,
  cores = 2,
  open_progress = FALSE,
  show_messages = TRUE
)

dat_ocs <- run_sim_exp_covar(
  n_iter = 3,
  d_params = d_params_covar,
  m_params = m_params_covar,
  seed = 12
```

```
)
print(dat_ocs)
```

---

|                     |                                                                                                                                             |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| run_sim_exp_nocovar | <i>Run simulation of two-arm trials with an exponentially distributed time-to-event endpoint and no predictor of the intercurrent event</i> |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------|

---

## Description

Run simulation of two-arm trials with an exponentially distributed time-to-event endpoint and no predictor of the intercurrent event

## Usage

```
run_sim_exp_nocovar(n_iter, d_params, m_params, seed)
```

## Arguments

|          |                                                                                 |
|----------|---------------------------------------------------------------------------------|
| n_iter   | Positive integer value, number of trials to be simulated.                       |
| d_params | List of data parameters as used in <code>sim_dat_one_trial_exp_nocovar</code> . |
| m_params | List of model parameters as used in <code>fit_single_exp_nocovar</code> .       |
| seed     | Numeric value, seed for reproducibility.                                        |

## Value

A list of length 3, containing objects call `ocs`, `d_params`, `m_params`, where `ocs` is a tibble containing averaged parameter estimates and operating characteristics, and `d_params` and `m_params` are the objects supplied to the function.

## See Also

[run\\_sim\\_exp\\_covar\(\)](#)

## Examples

```
d_params_nocovar <- list(
  n = 500L,
  nt = 250L,
  prob_ice = 0.5,
  fu_max = 336L,
  prop_cens = 0.15,
  T0T_rate = 0.2,
  T0N_rate = 0.2,
  T1T_rate = 0.15,
  T1N_rate = 0.1
)
```

```

m_params_nocovar <- list(
  tg = 48L,
  prior_piT = c(0.5, 0.5),
  prior_0N = c(1.5, 5),
  prior_1N = c(1.5, 5),
  prior_0T = c(1.5, 5),
  prior_1T = c(1.5, 5),
  t_grid = seq(7, 7 * 48, 7) / 30,
  chains = 2L,
  n_iter = 3000L,
  warmup = 1500L,
  cores = 2L,
  open_progress = FALSE,
  show_messages = TRUE
)

dat_ocs <- run_sim_exp_nocovar(
  n_iter = 3,
  d_params = d_params_nocovar,
  m_params = m_params_nocovar,
  seed = 12
)
print(dat_ocs)

```

---

```
sim_dat_mult_trials_exp_covar
```

*Simulate data from multiple two-arm trials with an exponentially distributed time-to-event endpoint and one predictor of the intercurrent event*

---

## Description

Simulate data from multiple two-arm trials with an exponentially distributed time-to-event endpoint and one predictor of the intercurrent event

## Usage

```
sim_dat_mult_trials_exp_covar(n_iter, params)
```

## Arguments

|        |                                                                               |
|--------|-------------------------------------------------------------------------------|
| n_iter | Positive integer value, number of trials to be simulated.                     |
| params | List of data parameters as used in <code>sim_dat_one_trial_exp_covar</code> . |

## Value

A list of length `n_iter`, containing objects of class `tibble()`, each containing one simulated trial dataset.

**See Also**

[sim\\_dat\\_mult\\_trials\\_exp\\_nocovar\(\)](#)

**Examples**

```
d_params_covar <- list(
  n = 1000,
  nt = 500,
  prob_X1 = 0.4,
  prob_ice_X1 = 0.5,
  prob_ice_X0 = 0.2,
  fu_max = 336L,
  prop_cens = 0.15,
  T0T_rate = 0.2,
  T0N_rate = 0.2,
  T1T_rate = 0.15,
  T1N_rate = 0.1
)
dat_mult_trials <- sim_dat_mult_trials_exp_covar(
  n_iter = 3L,
  params = d_params_covar
)
lapply(dat_mult_trials, dim)
head(dat_mult_trials[[1]])
```

---

sim\_dat\_mult\_trials\_exp\_nocovar

*Simulate data from multiple two-arm trials with an exponentially distributed time-to-event endpoint and no predictor of the intercurrent event*

---

**Description**

Simulate data from multiple two-arm trials with an exponentially distributed time-to-event endpoint and no predictor of the intercurrent event

**Usage**

```
sim_dat_mult_trials_exp_nocovar(n_iter, params)
```

**Arguments**

|        |                                                                                 |
|--------|---------------------------------------------------------------------------------|
| n_iter | Positive integer value, number of trials to be simulated.                       |
| params | List of data parameters as used in <code>sim_dat_one_trial_exp_nocovar</code> . |

**Value**

A list of length `n_iter`, containing objects of class `tibble()`, each containing one simulated trial dataset.

**See Also**

[sim\\_dat\\_mult\\_trials\\_exp\\_covar\(\)](#)

**Examples**

```
d_params_nocovar <- list(
  n = 500L,
  nt = 250L,
  prob_ice = 0.5,
  fu_max = 336L,
  prop_cens = 0.15,
  T0T_rate = 0.2,
  T0N_rate = 0.2,
  T1T_rate = 0.15,
  T1N_rate = 0.1
)
dat_mult_trials <- sim_dat_mult_trials_exp_nocovar(
  n_iter = 3L,
  params = d_params_nocovar
)
lapply(dat_mult_trials, dim)
head(dat_mult_trials[[1]])
```

---

sim\_dat\_one\_trial\_exp\_covar

*Simulate data from a single two-arm trial with an exponentially distributed time-to-event endpoint and one predictor of the intercurrent event*

---

**Description**

Simulate data from a single two-arm trial with an exponentially distributed time-to-event endpoint and one predictor of the intercurrent event

**Usage**

```
sim_dat_one_trial_exp_covar(
  n,
  nt,
  prob_X1,
  prob_ice_X1,
  prob_ice_X0,
  fu_max,
  prop_cens = 0,
  T0T_rate,
  T0N_rate,
  T1T_rate,
  T1N_rate
)
```

**Arguments**

|             |                                                                                                                                                                                                            |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| n           | Positive integer value, number of subjects in the trial.                                                                                                                                                   |
| nt          | Positive integer value, number of treated subjects.                                                                                                                                                        |
| prob_X1     | Numeric value on the interval (0, 1), probability of being at high risk of experiencing the intercurrent event of interest when treated (i.e. the event that determines the principal stratum membership). |
| prob_ice_X1 | Numeric value on the interval (0, 1), probability of the intercurrent event of interest if treated and at high risk of the intercurrent event.                                                             |
| prob_ice_X0 | Numeric value on the interval (0, 1), probability of the intercurrent event of interest if treated and not at high risk of the intercurrent event.                                                         |
| fu_max      | Positive integer value, maximum follow-up time in days (administrative censoring assumed afterwards).                                                                                                      |
| prop_cens   | Numeric value on the interval [0, 1), proportion of uniformly censored patients (default is 0).                                                                                                            |
| T0T_rate    | Positive numeric value, monthly event rate in control subjects that would develop the intercurrent event if treated.                                                                                       |
| T0N_rate    | Positive numeric value, monthly event rate in control subjects that never develop the intercurrent event.                                                                                                  |
| T1T_rate    | Positive numeric value, monthly event rate in treated subjects that develop the intercurrent event.                                                                                                        |
| T1N_rate    | Positive numeric value, monthly event rate in treated subjects that never develop the intercurrent event.                                                                                                  |

**Value**

...

**See Also**[sim\\_dat\\_one\\_trial\\_exp\\_nocovar\(\)](#)**Examples**

```
d_params_covar <- list(
  n = 1000,
  nt = 500,
  prob_X1 = 0.4,
  prob_ice_X1 = 0.5,
  prob_ice_X0 = 0.2,
  fu_max = 48*7,
  prop_cens = 0.15,
  T0T_rate = 0.2,
  T0N_rate = 0.2,
  T1T_rate = 0.15,
  T1N_rate = 0.1
)
dat_single_trial <- sim_dat_one_trial_exp_covar(
```

```

n = d_params_covar[["n"]],
nt = d_params_covar[["nt"]],
prob_X1 = d_params_covar[["prob_X1"]],
prob_ice_X1 = d_params_covar[["prob_ice_X1"]],
prob_ice_X0 = d_params_covar[["prob_ice_X0"]],
fu_max = d_params_covar[["fu_max"]],
prop_cens = d_params_covar[["prop_cens"]],
T0T_rate = d_params_covar[["T0T_rate"]],
T0N_rate = d_params_covar[["T0N_rate"]],
T1T_rate = d_params_covar[["T1T_rate"]],
T1N_rate = d_params_covar[["T1N_rate"]]
)
dim(dat_single_trial)
head(dat_single_trial)

```

---

```
sim_dat_one_trial_exp_nocovar
```

*Simulate data from a single two-arm trial with an exponentially distributed time-to-event endpoint and no predictor of the intercurrent event*

---

## Description

Simulate data from a single two-arm trial with an exponentially distributed time-to-event endpoint and no predictor of the intercurrent event

## Usage

```

sim_dat_one_trial_exp_nocovar(
  n,
  nt,
  prob_ice,
  fu_max,
  prop_cens = 0,
  T0T_rate,
  T0N_rate,
  T1T_rate,
  T1N_rate
)

```

## Arguments

|          |                                                                                                                                                           |
|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| n        | Positive integer value, number of subjects in the trial.                                                                                                  |
| nt       | Positive integer value, number of treated subjects.                                                                                                       |
| prob_ice | Numeric value on the interval (0,1), probability of the intercurrent event of interest (i.e. the event that determines the principal stratum membership). |

|           |                                                                                                                      |
|-----------|----------------------------------------------------------------------------------------------------------------------|
| fu_max    | Positive integer value, maximum follow-up time in days (administrative censoring assumed afterwards).                |
| prop_cens | Numeric value on the interval $[0, 1)$ , proportion of uniformly censored patients (default is 0).                   |
| T0T_rate  | Positive numeric value, monthly event rate in control subjects that would develop the intercurrent event if treated. |
| T0N_rate  | Positive numeric value, monthly event rate in control subjects that never develop the intercurrent event.            |
| T1T_rate  | Positive numeric value, monthly event rate in treated subjects that develop the intercurrent event.                  |
| T1N_rate  | Positive numeric value, monthly event rate in treated subjects that never develop the intercurrent event.            |

**Value**

A tibble() containing the trial data for analysis.

**See Also**

[sim\\_dat\\_one\\_trial\\_exp\\_covar\(\)](#)

**Examples**

```
d_params_nocovar <- list(
  n = 500L,
  nt = 250L,
  prob_ice = 0.5,
  fu_max = 336L,
  prop_cens = 0.15,
  T0T_rate = 0.2,
  T0N_rate = 0.2,
  T1T_rate = 0.15,
  T1N_rate = 0.1
)
dat_single_trial <- sim_dat_one_trial_exp_nocovar(
  n = d_params_nocovar[["n"]],
  nt = d_params_nocovar[["nt"]],
  prob_ice = d_params_nocovar[["prob_ice"]],
  fu_max = d_params_nocovar[["fu_max"]],
  prop_cens = d_params_nocovar[["prop_cens"]],
  T0T_rate = d_params_nocovar[["T0T_rate"]],
  T0N_rate = d_params_nocovar[["T0N_rate"]],
  T1T_rate = d_params_nocovar[["T1T_rate"]],
  T1N_rate = d_params_nocovar[["T1N_rate"]]
)
dim(dat_single_trial)
head(dat_single_trial)
```

---

|                     |                                                                                                                                          |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| true_vals_exp_covar | <i>Adding true values to estimates for models with an exponential endpoint and consideration of predictors of the intercurrent event</i> |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------|

---

## Description

Adding true values to estimates for models with an exponential endpoint and consideration of predictors of the intercurrent event

## Usage

```
true_vals_exp_covar(x, d_params, m_params)
```

## Arguments

|          |                                                                           |
|----------|---------------------------------------------------------------------------|
| x        | Model object as returned by <code>fit_single_exp_covar()</code> .         |
| d_params | List of data parameters as used in <code>fit_single_exp_covar()</code> .  |
| m_params | List of model parameters as used in <code>fit_single_exp_covar()</code> . |

## Value

A summary table with parameter estimates, true values and differences.

## See Also

[true\\_vals\\_exp\\_nocovar\(\)](#)

## Examples

```
d_params_covar <- list(
  n = 1000,
  nt = 500,
  prob_X1 = 0.4,
  prob_ice_X1 = 0.5,
  prob_ice_X0 = 0.2,
  fu_max = 48*7,
  T0T_rate = 0.2,
  T0N_rate = 0.2,
  T1T_rate = 0.15,
  T1N_rate = 0.1
)
dat_single_trial <- sim_dat_one_trial_exp_covar(
  n = d_params_covar[["n"]],
  nt = d_params_covar[["nt"]],
  prob_X1 = d_params_covar[["prob_X1"]],
  prob_ice_X1 = d_params_covar[["prob_ice_X1"]],
  prob_ice_X0 = d_params_covar[["prob_ice_X0"]],
  fu_max = d_params_covar[["fu_max"]],
  T0T_rate = d_params_covar[["T0T_rate"]],
```

```

    T0N_rate = d_params_covar[["T0N_rate"]],
    T1T_rate = d_params_covar[["T1T_rate"]],
    T1N_rate = d_params_covar[["T1N_rate"]]
  )
m_params_covar <- list(
  tg = 48,
  p = 2,
  prior_delta = matrix(
    c(0, 5, 0, 5),
    nrow = 2, byrow = TRUE),
  prior_0N = c(1.5, 5),
  prior_1N = c(1.5, 5),
  prior_0T = c(1.5, 5),
  prior_1T = c(1.5, 5),
  t_grid = seq(7, 7 * 48, 7) / 30,
  chains = 2,
  n_iter = 3000,
  warmup = 1500,
  cores = 2,
  open_progress = FALSE,
  show_messages = TRUE
)

fit_single <- fit_single_exp_covar(
  data = dat_single_trial,
  params = m_params_covar,
  summarize_fit = TRUE
)
print(fit_single)
tab_obs_truth <- true_vals_exp_covar(
  x = fit_single,
  d_params = d_params_covar,
  m_params = m_params_covar
)
print(tab_obs_truth)

```

---

true\_vals\_exp\_nocovar *Adding true values to estimates for models with an exponential endpoint and no consideration of predictors of the intercurrent event*

---

## Description

Adding true values to estimates for models with an exponential endpoint and no consideration of predictors of the intercurrent event

## Usage

```
true_vals_exp_nocovar(x, d_params, m_params)
```

**Arguments**

|                       |                                                                             |
|-----------------------|-----------------------------------------------------------------------------|
| <code>x</code>        | Model object as returned by <code>fit_single_exp_nocovar()</code> .         |
| <code>d_params</code> | List of data parameters as used in <code>fit_single_exp_nocovar()</code> .  |
| <code>m_params</code> | List of model parameters as used in <code>fit_single_exp_nocovar()</code> . |

**Value**

A summary table with parameter estimates, true values and differences.

**See Also**

[true\\_vals\\_exp\\_covar\(\)](#)

**Examples**

```
d_params_nocovar <- list(
  n = 500L,
  nt = 250L,
  prob_ice = 0.5,
  fu_max = 336L,
  T0T_rate = 0.2,
  T0N_rate = 0.2,
  T1T_rate = 0.15,
  T1N_rate = 0.1
)
dat_single_trial <- sim_dat_one_trial_exp_nocovar(
  n = d_params_nocovar[["n"]],
  nt = d_params_nocovar[["nt"]],
  prob_ice = d_params_nocovar[["prob_ice"]],
  fu_max = d_params_nocovar[["fu_max"]],
  T0T_rate = d_params_nocovar[["T0T_rate"]],
  T0N_rate = d_params_nocovar[["T0N_rate"]],
  T1T_rate = d_params_nocovar[["T1T_rate"]],
  T1N_rate = d_params_nocovar[["T1N_rate"]]
)
m_params_nocovar <- list(
  tg = 48L,
  prior_piT = c(0.5, 0.5),
  prior_0N = c(1.5, 5),
  prior_1N = c(1.5, 5),
  prior_0T = c(1.5, 5),
  prior_1T = c(1.5, 5),
  t_grid = seq(7, 7 * 48, 7) / 30,
  chains = 2L,
  n_iter = 3000L,
  warmup = 1500L,
  cores = 2L,
  open_progress = FALSE,
  show_messages = TRUE
)
```

```
fit_single <- fit_single_exp_nocovar(  
  data = dat_single_trial,  
  params = m_params_nocovar,  
  summarize_fit = TRUE  
)  
print(fit_single)  
tab_obs_truth <- true_vals_exp_nocovar(  
  x = fit_single,  
  d_params = d_params_nocovar,  
  m_params = m_params_nocovar  
)  
print(tab_obs_truth)
```

# Index

BPrinStratTTE (BPrinStratTTE-package), [2](#)  
BPrinStratTTE-package, [2](#)

fit\_mult\_exp\_covar, [3](#)  
fit\_mult\_exp\_covar(), [5](#)  
fit\_mult\_exp\_nocovar, [4](#)  
fit\_mult\_exp\_nocovar(), [3](#)  
fit\_single\_exp\_covar, [6](#)  
fit\_single\_exp\_covar(), [3](#), [9](#)  
fit\_single\_exp\_nocovar, [8](#)  
fit\_single\_exp\_nocovar(), [5](#), [7](#)

inv\_logit, [10](#)  
inv\_logit(), [11](#)

logit, [11](#)  
logit(), [11](#)

ocs\_exp\_covar, [12](#)  
ocs\_exp\_covar(), [14](#)  
ocs\_exp\_nocovar, [14](#)  
ocs\_exp\_nocovar(), [12](#)

rstan::sampling(), [7](#), [9](#)  
run\_sim\_exp\_covar, [15](#)  
run\_sim\_exp\_covar(), [12](#), [17](#)  
run\_sim\_exp\_nocovar, [17](#)  
run\_sim\_exp\_nocovar(), [14](#), [16](#)

sim\_dat\_mult\_trials\_exp\_covar, [18](#)  
sim\_dat\_mult\_trials\_exp\_covar(), [3](#), [20](#)  
sim\_dat\_mult\_trials\_exp\_nocovar, [19](#)  
sim\_dat\_mult\_trials\_exp\_nocovar(), [5](#),  
[19](#)

sim\_dat\_one\_trial\_exp\_covar, [20](#)  
sim\_dat\_one\_trial\_exp\_covar(), [23](#)  
sim\_dat\_one\_trial\_exp\_nocovar, [22](#)  
sim\_dat\_one\_trial\_exp\_nocovar(), [21](#)

true\_vals\_exp\_covar, [24](#)  
true\_vals\_exp\_covar(), [26](#)

true\_vals\_exp\_nocovar, [25](#)  
true\_vals\_exp\_nocovar(), [24](#)