

# Package ‘CTTShiny’

July 21, 2025

**Type** Package

**Title** Classical Test Theory via Shiny

**Version** 0.1

**Date** 2015-08-05

**Maintainer** William Kyle Hamilton <kyle.hamilton@gmail.com>

**Description** Interactive shiny application for running classical test theory (item analysis).

**License** GPL-3

**Depends** R (>= 3.0.3)

**Imports** shiny, shinyAce, CTT, ltm, psych

**NeedsCompilation** no

**Author** William Kyle Hamilton [aut, cre],  
Atsushi Mizumoto [aut]

**Repository** CRAN

**Date/Publication** 2015-08-06 07:15:41

## Contents

|                    |                   |
|--------------------|-------------------|
| startCTT . . . . . | <a href="#">1</a> |
| <b>Index</b>       | <a href="#">3</a> |

---

|          |                                          |
|----------|------------------------------------------|
| startCTT | <i>This function will start CTTShiny</i> |
|----------|------------------------------------------|

---

## Description

An interactive Shiny application for running CTT analysis.

## Usage

```
startCTT()
```

**Details**

Start CTTShiny

This starts the Shiny application CTT

**Value**

Nothing

**Examples**

```
## Not run:  
library(shiny)  
startCTT()
```

```
## End(Not run)
```

# Index

\* **CTT**  
startCTT, [1](#)

startCTT, [1](#)