

Package ‘RXKCD’

July 21, 2025

Type Package

Title Get XKCD Comic from R

Version 1.9.2

Date 2020-02-24

Maintainer Paolo Sonogo <paolo.sonogo@gmail.com>

Description Visualize your favorite XKCD comic strip directly from
R. XKCD <<https://xkcd.com>> web comic content is provided under the Creative
Commons Attribution-NonCommercial 2.5 License.

Encoding UTF-8

Imports plyr, graphics, utils, jpeg, png, RJSONIO

Suggests RCurl

License GPL-2

LazyLoad yes

RoxygenNote 7.0.2

NeedsCompilation no

Author Paolo Sonogo [aut, cph, cre] (ORCID:
<<https://orcid.org/0000-0002-8576-0169>>),
Mikko Korpela [aut]

Repository CRAN

Date/Publication 2020-02-24 08:30:02 UTC

Contents

getXKCD	2
saveConfig	3
searchXKCD	3
updateConfig	4

Index	5
--------------	----------

getXKCD

Display your favorite XKCD comic in R

Description

This function fetches a XKCD comic strip (randomly or by number) and displays it on screen.

Usage

```
getXKCD(which = "current", display = TRUE, html = FALSE, saveImg = FALSE)
```

Arguments

which	string: either "current" or "random"; or a number indicating the specific strip.
display	logical; TRUE (default) if you like to display the strip on the screen.
html	logical; TRUE if you like to open the XKCD web page for the selected comic in your browser: if TRUE it sets display and saveImg arguments to FALSE. Default FALSE.
saveImg	logical; TRUE if you want to save image in the current directory. Default FALSE.

Details

Old R versions may have problems accessing HTTPS URLs such as those used on the XKCD website. In case the default method of `download.file` fails, alternatives will be tried. For the best chance to succeed, ensure that the command line tools "wget" and "curl" as well as the "RCurl" package are installed.

Value

a list containing the following fields:

- img URL of the XKCD comic strip image (png)
- title Title of the XKCD comic strip
- month
- num Number of the XKCD comic strip
- link
- year Year of publication
- safe_title
- transcript
- alt
- day
- news

References

<https://xkcd.com/license.html>

Examples

```
library("RXKCD")
significant <- getXKCD(882, display=FALSE)
```

saveConfig	<i>Save XKCD database info into a file in the user directory</i>
------------	--

Description

This function saves the xkcd database as a file in the user's home directory.

Usage

```
saveConfig()
```

References

<https://xkcd.com/license.html>

searchXKCD	<i>Search your favorite XKCD comic strip by title/transcript</i>
------------	--

Description

This function uses grep to inspect the title and transcript for all the occurrences of a specified string and returns a data.frame with both the number and the title of the XKCD comic strips.

Usage

```
searchXKCD(which = "significant")
```

Arguments

which string.

Value

a data.frame containing the following fields:

- num The num of the XKCD comic strip
- title The title of the XKCD comic strip

References

<https://xkcd.com/license.html>

Examples

```
## Not run:  
library("RXKCD")  
searchXKCD(which="significant")  
searchXKCD(which="someone is wrong")  
## End(Not run)
```

updateConfig

Update the XKCD database saved in the user directory

Description

This function updates the local version of the XKCD database used by searchXKCD.

Usage

```
updateConfig()
```

References

<https://xkcd.com/license.html>

Index

`download.file`, [2](#)

`getXKCD`, [2](#)

`saveConfig`, [3](#)

`searchXKCD`, [3](#)

`updateConfig`, [4](#)