

Package ‘RcmdrPlugin.FactoMineR’

July 21, 2025

Type Package

Version 1.8

Title Graphical User Interface for FactoMineR

Author Francois Husson, Julie Josse, Sebastien Le

Maintainer Francois Husson <francois.husson@institut-agro.fr>

Imports Rcmdr (>= 2.0-0), tcltk

Depends FactoMineR

Description Rcmdr Plugin for the 'FactoMineR' package.

License GPL (>= 2)

URL <http://factominer.free.fr/graphs/RcmdrPlugin.html>

LazyLoad no

Encoding UTF-8

NeedsCompilation no

Repository CRAN

Date/Publication 2023-11-17 19:00:14 UTC

Contents

RcmdrPlugin.FactoMineR-package	2
FactoCA	2
Factocatdes	3
FactoDMFA	3
FactoFAMD	3
FactoGPA	4
FactoHCPC	4
FactoMCA	4
FactoMFA	5
FactoPCA	5
Factoprefpls	6
readDataSetFacto	6

Index	7
--------------	----------

RcmdrPlugin.FactoMineR-package
RcmdrPlugin.FactoMineR package

Description

RcmdrPlugin.FactoMineR package

Details

RcmdrPlugin.FactoMineR gives a plugin to easier use the FactoMineR package. The package Fac-toshiny should be preferred at RcmdrPlugin.FactoMineR.

Author(s)

Francois Husson Maintainer: husson <husson@agrocampus-ouest>

See Also

The FactoMineR package.

FactoCA *Perform CA with the GUI*

Description

Perform CA with the GUI

Usage

FactoCA()

Author(s)

F. Husson

Factocatdes	<i>Perform catdes with the GUI</i>
-------------	------------------------------------

Description

Perform catdes with the GUI

Usage

Factocatdes()

Author(s)

F. Husson

FactoDMFA	<i>Perform DMFA with the GUI</i>
-----------	----------------------------------

Description

Perform DMFA with the GUI

Usage

FactoDMFA()

Author(s)

F. Husson

FactoFAMD	<i>Perform FAMD with the GUI</i>
-----------	----------------------------------

Description

Perform FAMD with the GUI

Usage

FactoFAMD()

Author(s)

F. Husson

FactoGPA	<i>Perform GPA with the GUI</i>
----------	---------------------------------

Description

Perform GPA with the GUI

Usage

FactoGPA()

Author(s)

F. Husson

FactoHCPC	<i>Perform HCPC with the GUI</i>
-----------	----------------------------------

Description

Perform HCPC with the GUI

Usage

FactoHCPC()

Author(s)

F. Husson

FactoMCA	<i>Perform MCA with the GUI</i>
----------	---------------------------------

Description

Perform MCA with the GUI

Usage

FactoMCA()

Author(s)

F. Husson

FactoMFA	<i>Perform MFA with the GUI</i>
----------	---------------------------------

Description

Perform MFA with the GUI

Usage

```
FactoMFA()
```

Author(s)

F. Husson

FactoPCA	<i>Perform PCA with the GUI</i>
----------	---------------------------------

Description

Perform PCA with the GUI

Usage

```
FactoPCA()
```

Author(s)

F. Husson

Examples

```
## Not run:  
require(FactoMineR)  
data(decathlon)  
FactoPCA()  
  
## End(Not run)
```

Factoprefpls	<i>Perform prefpls with the GUI</i>
--------------	-------------------------------------

Description

Perform prefpls with the GUI

Usage

```
Factoprefpls()
```

Author(s)

F. Husson

readDataSetFacto	<i>Read a dataset for FactoMineR</i>
------------------	--------------------------------------

Description

Read a dataset for FactoMineR

Usage

```
readDataSetFacto()
```

Author(s)

F. Husson

Index

* **dplot**

- FactoCA, [2](#)
- Factocatdes, [3](#)
- FactoDMFA, [3](#)
- FactoFAMD, [3](#)
- FactoGPA, [4](#)
- FactoHCPC, [4](#)
- FactoMCA, [4](#)
- FactoMFA, [5](#)
- FactoPCA, [5](#)
- Factoprefpls, [6](#)

* **multivariate**

- FactoCA, [2](#)
- Factocatdes, [3](#)
- FactoDMFA, [3](#)
- FactoFAMD, [3](#)
- FactoGPA, [4](#)
- FactoHCPC, [4](#)
- FactoMCA, [4](#)
- FactoMFA, [5](#)
- FactoPCA, [5](#)
- Factoprefpls, [6](#)

* **package**

- RcmdrPlugin.FactoMineR-package, [2](#)

* **print**

- FactoCA, [2](#)
- Factocatdes, [3](#)
- FactoDMFA, [3](#)
- FactoFAMD, [3](#)
- FactoGPA, [4](#)
- FactoHCPC, [4](#)
- FactoMCA, [4](#)
- FactoMFA, [5](#)
- FactoPCA, [5](#)
- Factoprefpls, [6](#)

- FactoCA, [2](#)
- Factocatdes, [3](#)
- FactoDMFA, [3](#)
- FactoFAMD, [3](#)

- FactoGPA, [4](#)
- FactoHCPC, [4](#)
- FactoMCA, [4](#)
- FactoMFA, [5](#)
- FactoPCA, [5](#)
- Factoprefpls, [6](#)

- RcmdrPlugin.FactoMineR
(RcmdrPlugin.FactoMineR-package),
[2](#)

- RcmdrPlugin.FactoMineR-package, [2](#)
- readDataSetFacto, [6](#)