

# Package ‘cucumber’

July 21, 2025

**Type** Package

**Title** Behavior-Driven Development for R

**Version** 2.1.1

## Description

Write executable specifications in a natural language that describes how your code should behave.

Write specifications in feature files using 'Gherkin' language and execute them using functions implemented in R.

Use them as an extension to your 'testthat' tests to provide a high level description of how your code works.

**License** MIT + file LICENSE

**URL** <https://github.com/jakubsob/cucumber>,  
<https://jakubsobolewski.com/cucumber/>

**BugReports** <https://github.com/jakubsob/cucumber/issues>

**Encoding** UTF-8

**Depends** R (>= 4.1.0)

**Imports** checkmate, cli, dplyr, fs, glue, purrr, rlang, stringr,  
testthat (>= 3.0.0), tibble, withr

**Suggests** mockery, box, shinytest2, chromote, covr, knitr, rmarkdown,  
quarto, R6, pkgdown, pkgload, muttest

**Config/testthat/edition** 3

**RoxygenNote** 7.3.2

**VignetteBuilder** quarto

**Config/Needs/website** rmarkdown

**NeedsCompilation** no

**Author** Jakub Sobolewski [aut, cre]

**Maintainer** Jakub Sobolewski <jakupsob@gmail.com>

**Repository** CRAN

**Date/Publication** 2025-07-21 07:50:02 UTC

Contents

define_parameter_type . . . . .	2
hook . . . . .	3
opts . . . . .	4
run . . . . .	4
step . . . . .	5
test . . . . .	7
<b>Index</b>	<b>9</b>

---

define_parameter_type	<i>Define extra parameters to use in Cucumber steps.</i>
-----------------------	--

---

Description

The following parameter types are available by default:

Type	Description
{int}	Matches integers, for example 71 or -19. Converts value with <code>as.integer</code> .
{float}	Matches floats, for example 3.6, .8 or -9.2. Converts value with <code>as.double</code> .
{word}	Matches words without whitespace, for example banana (but not banana split).
{string}	Matches single-quoted or double-quoted strings, for example "banana split" or 'banana split' (but not banan

To use custom parameter types, call `define_parameter_type` before `cucumber::test` is called.

Usage

```
define_parameter_type(name, regexp, transformer)
```

Arguments

name	The name of the parameter.
regexp	A regular expression that the parameter will match on. Note that if you want to escape a special character, you need to use four backslashes.
transformer	A function that will transform the parameter from a string to the desired type. Must be a function that requires only a single argument.

Value

An object of class `parameter`, invisibly. Function should be called for side effects.

## Examples

```
define_parameter_type("color", "red|blue|green", as.character)
define_parameter_type(
  name = "sci_number",
  regexp = "[+-]?\\\\d*\\\\\\.?\\\\\\\\d+(e[+-]?\\\\\\\\d+)?",
  transform = as.double
)

## Not run:
#' tests/testthat/test-cucumber.R
cucumber::define_parameter_type("color", "red|blue|green", as.character)
cucumber::test(".", "./steps")

## End(Not run)
```

---

hook	<i>Hooks</i>
------	--------------

---

## Description

Hooks are blocks of code that can run at various points in the Cucumber execution cycle. They are typically used for setup and teardown of the environment before and after each scenario.

Where a hook is defined has no impact on what scenarios it is run for.

If you want to run a hook only before or after a specific scenario, use its name to execute hook only for this scenario.

## Usage

```
before(hook)
```

```
after(hook)
```

## Arguments

hook	A function that will be run. The function first argument is context and the scenario name is the second argument.
------	---

## Before

Whatever happens in a before hook is invisible to people who only read the features. You should consider using a background as a more explicit alternative, especially if the setup should be readable by non-technical people. Only use a before hook for low-level logic such as starting a browser or deleting data from a database.

## After

After hooks run after the last step of each scenario, even when the scenario failed or thrown an error.

## Examples

```
## Not run:
before(function(context, scenario_name) {
  context$session <- selenider::selenider_session()
})

after(function(context, scenario_name) {
  selenider::close_session(context$session)
})

after(function(context, scenario_name) {
  if (scenario_name == "Playing one round of the game") {
    context$game$close()
  }
})

## End(Not run)
```

---

opts	<i>cucumber Options</i>
------	-------------------------

---

## Description

Internally used, package-specific options. They allow overriding the default behavior of the package.

## Details

The following options are available:

- `cucumber.indent`  
Regular expression for the indent of the feature files.  
default: `^\s{2}`

See [base::options\(\)](#) and [base::getOption\(\)](#) on how to work with options.

---

run	<i>Run Cucumber tests in a testthat context</i>
-----	---

---

## Description

It's purpose is to be able to run Cucumber tests alongside testthat tests.

To do that, place a call to `run()` in one of the `test-*.R` files in your `tests/testthat` directory.

## Usage

```
run(path = ".", filter = NULL, ...)
```

**Arguments**

path	Path to the directory containing the .feature files. If run() is placed in a tests/testthat/test-*.R file and you call testthat::test_dir or similar, it runs in the tests/testthat directory. The default value "." finds all feature files in the tests/testthat directory.
filter	If not NULL, only features with file names matching this regular expression will be executed. Matching is performed on the file name after it's stripped of ".feature".
...	Additional arguments passed to grepl().

**Value**

NULL, invisibly. To get result and a report, use cucumber::test(), or inspect the result of testthat function call.

**Examples**

```
## Not run:
#' tests/testthat/test-cucumber.R
cucumber::run()

## End(Not run)
```

---

step

---

*Define a step*


---

**Description**

Provide a description that matches steps in feature files and the implementation function that will be run.

**Usage**

```
given(description, implementation)

when(description, implementation)

then(description, implementation)
```

**Arguments**

description	A description of the step. Cucumber executes each step in a scenario one at a time, in the sequence you've written them in. When Cucumber tries to execute a step, it looks for a matching step definition to execute.
-------------	---

**Keywords are not taken into account when looking for a step definition.**

This means you cannot have a Given, When, Then, And or But step with the same text as another step.

Cucumber considers the following steps duplicates:

```
Given there is money in my account
Then there is money in my account
```

This might seem like a limitation, but it forces you to come up with a less ambiguous, more clear domain language:

```
Given my account has a balance of £430
Then my account should have a balance of £430
```

To pass arguments, description can contain placeholders in curly braces.  
To match:

```
Given my account has a balance of £430
```

use:

```
given("my account has a balance of £{float}", function(balance, context) {
})
```

If no step definition is found an error will be thrown.

If multiple steps definitions for a single step are found an error will be thrown.

**implementation** A function that will be run during test execution.

The implementation function must always have the last parameter named context. It holds the environment where test state can be stored to be passed to the next step.

If a step has a description "I have {int} cucumbers in my basket" then the implementation function should be function(n, context). The {int} value will be passed to n, this parameter can have any name.

If a table or a docstring is defined for a step, it will be passed as an argument after placeholder parameters and before context. The function should be a function(n, table, context). See [an example](#) on how to write implementation that uses tables or docstrings.

**Details**

Placeholders in expressions are replaced with regular expressions that match values in the feature file. Regular expressions are generated during runtime based on defined parameter types.

The expression "I have {int} cucumbers in my basket" will be converted to "I have [+-]?(?<![.])[:digit:]+(?![.]) cucumbers in my basket". The extracted value of {int} will be passed to the implementation function after being transformed with `as.integer`.

To define your own parameter types use [define\\_parameter\\_type](#).

**Value**

A function of class step, invisibly. Function should be called for side effects.

**See Also**[define\\_parameter\\_type\(\)](#)**Examples**

```
given("I have {int} cucumbers in my basket", function(n_cucumbers, context) {
  context$n_cucumbers <- n_cucumbers
})

given("I have {int} cucumbers in my basket and a table", function(n_cucumbers, table, context) {
  context$n_cucumbers <- n_cucumbers
  context$table <- table
})

when("I eat {int} cucumbers", function(n_cucumbers, context) {
  context$n_cucumbers <- context$n_cucumbers - n_cucumbers
})

then("I should have {int} cucumbers in my basket", function(n_cucumbers, context) {
  expect_equal(context$n_cucumbers, n_cucumbers)
})
```

---

**test***Run Cucumber tests*

---

**Description**

It runs tests from specifications in .feature files found in the path.

To run Cucumber tests alongside testthat tests, see `cucumber:::run()`.

**Usage**

```
test(
  path = "tests/acceptance",
  filter = NULL,
  reporter = NULL,
  env = NULL,
  load_helpers = TRUE,
  stop_on_failure = TRUE,
  stop_on_warning = FALSE,
  ...
)
```

## Arguments

<code>path</code>	Path to directory containing tests.
<code>filter</code>	If not NULL, only features with file names matching this regular expression will be executed. Matching is performed on the file name after it's stripped of ".feature".
<code>reporter</code>	Reporter to use to summarise output. Can be supplied as a string (e.g. "summary") or as an R6 object (e.g. <code>SummaryReporter\$new()</code> ). See <a href="#">Reporter</a> for more details and a list of built-in reporters.
<code>env</code>	Environment in which to execute the tests. Expert use only.
<code>load_helpers</code>	Source helper files before running the tests?
<code>stop_on_failure</code>	If TRUE, throw an error if any tests fail.
<code>stop_on_warning</code>	If TRUE, throw an error if any tests generate warnings.
<code>...</code>	Additional arguments passed to <code>grepl()</code> to control filtering.

## Good Practices

- Use a separate directory for your acceptance tests, e.g. `tests/acceptance`.  
It's not prohibited to use `tests/testthat` directory, but it's not recommended as those tests serve a different purpose and are better run separately, especially if acceptance tests take longer to run than unit tests.  
If you want to run Cucumber tests alongside `testthat` tests, you can use `cucumber::run()` in one of the `test-*.R` files in your `tests/testthat` directory.
- Use `setup-*.R` files for calling `step()`, `define_parameter_type()` and `hook()` to leverage `testthat` loading mechanism.  
If your `step()`, `define_parameter_type()` and `hook()` are called from somewhere else, you are responsible for loading them.  
Read more about `testthat` special files in the [testthat documentation](#).
- Use `test-*.R` files to test the support code you might have implemented that is used to run Cucumber tests.  
Those tests won't be run when calling `test()`. To run those tests use `testthat::test_dir("tests/acceptance")`.

## Examples

```
## Not run:
cucumber::test("tests/acceptance")
cucumber::test("tests/acceptance", filter = "addition|multiplication")

## End(Not run)
```

# Index

`after (hook)`, [3](#)

`base::getOption()`, [4](#)

`base::options()`, [4](#)

`before (hook)`, [3](#)

`define_parameter_type`, [2](#), [6](#)

`define_parameter_type()`, [7](#), [8](#)

`given (step)`, [5](#)

`grepl()`, [8](#)

`hook`, [3](#)

`hook()`, [8](#)

`opts`, [4](#)

`Reporter`, [8](#)

`run`, [4](#)

`step`, [5](#)

`step()`, [8](#)

`test`, [7](#)

`test()`, [8](#)

`then (step)`, [5](#)

`when (step)`, [5](#)