

# Package ‘hglm.data’

July 22, 2025

**Type** Package  
**Title** Data for the 'hglm' Package  
**Version** 1.0-1  
**Date** 2019-03-03  
**Author** Xia Shen, Moudud Alam, Lars Ronnegard  
**Maintainer** Xia Shen <xia.shen@ki.se>  
**Description** This data-only package was created for distributing data used in the examples of the 'hglm' package.  
**BugReports** [https://r-forge.r-project.org/tracker/?group\\_id=558](https://r-forge.r-project.org/tracker/?group_id=558)  
**License** GPL (>= 2)  
**LazyLoad** yes  
**Depends** R (>= 3.0), utils, Matrix, MASS, sp  
**NeedsCompilation** no  
**Repository** CRAN  
**Date/Publication** 2019-04-04 09:20:03 UTC

## Contents

hglm.data-package . . . . .	2
cancer . . . . .	3
ohio . . . . .	3
pump . . . . .	6
QTLMAS . . . . .	6
salamander . . . . .	7
seeds . . . . .	8
semiconductor . . . . .	9
<b>Index</b>	<b>10</b>

---

hglm.data-package      *Data for The hglm Package*

---

## Description

This data-only package was created for distributing data used in the examples of the hglm package.

## Details

Package:	hglm.data
Type:	Package
Version:	1.0-0
Date:	2014-07-23
Discussion:	<a href="https://r-forge.r-project.org/forum/?group_id=558">https://r-forge.r-project.org/forum/?group_id=558</a>
BugReports:	<a href="https://r-forge.r-project.org/tracker/?group_id=558">https://r-forge.r-project.org/tracker/?group_id=558</a>
License:	GPL (>= 2)
LazyLoad:	yes
Depends:	R (>= 2.10)

## Author(s)

Xia Shen

Maintainer: Xia Shen <xia.shen@slu.se>

## References

Lars Ronnegard, Xia Shen and Moudud Alam (2010). **hglm: A Package for Fitting Hierarchical Generalized Linear Models**. *The R Journal*, **2**(2), 20-28.

Youngjo Lee, John A Nelder and Yudi Pawitan (2006) *Generalized Linear Models with Random Effect: a unified analysis via h-likelihood*. Chapman and Hall/CRC.

Xia Shen, Moudud Alam, Freddy Fikse and Lars Ronnegard (2013). **A novel generalized ridge regression method for quantitative genetics**. *Genetics*.

Moudud Alam, Lars Ronnegard, Xia Shen (2014). **Spatial modeling in hglm**. *Submitted*.

cancer

*Scottish lip cancer dataset from Clayton and Kaldor (1987)***Description**

The Scottish lip cancer dataset.

**Format**

The ‘cancer’ dataset contains 4 objects as follows.

**O** Observed frequency.

**E** Offset.

**Paff** Fixed effects.

**nbr** Spatial correlation matrix D for CAR model.

**Source**

Clayton D, Kaldor J 1987. Empirical Bayes Estimation of Age-standardized Relative Risk for use in Disease Mapping. *Biometrics* 43, 671–681

**References**

Clayton D, Kaldor J 1987. Empirical Bayes Estimation of Age-standardized Relative Risk for use in Disease Mapping. *Biometrics* 43, 671–681

ohio

*Ohio elementary school dataset***Description**

Data set on 1,965 Ohio elementary school buildings for 2001-2002.

**Format**

The ‘ohio’ dataset contains 6 objects as follows.

**ohioSchools** Original data ohioschool1.dat from <http://www.spatial-econometrics.com/> (J. LeSage and R. Pace 2009). The data set contains information on, for instance, school building ID, Zip code of the location of the school, proportion of passing on five subjects, number of teacher, number of student, etc. The variables are:

col 1: zip code

col 2: latitude (zip centroid)

col 3: longitude (zip centroid)

col 4: building id

col 5: district irn  
 col 6: # of teachers (FTE 2001-02)  
 col 7: teacher attendance rate  
 col 8: avg years of teaching experience  
 col 9: avg teacher salary  
 col 10: Per Pupil Spending on Instruction  
 col 11: Per Pupil Spending on Building Operations  
 col 12: Per Pupil Spending on Administration  
 col 13: Per Pupil Spending on Pupil Support  
 col 14: Per Pupil Spending on Staff Support  
 col 15: Total Expenditures Per Pupil  
 col 16: Per Pupil Spending on Instruction % of Total Spending Per Pupil  
 col 17: Per Pupil Spending on Building Operations % of Total Spending Per Pupil  
 col 18: Per Pupil Spending on Administration % of Total Spending Per Pupil  
 col 19: Per Pupil Spending on Pupil Support % of Total Spending Per Pupil  
 col 20: Per Pupil Spending on Staff Support % of Total Spending Per Pupil  
 col 21: irn number  
 col 22: avg of all 4th grade proficiency scores  
 col 23: median of 4th grade prof scores  
 col 24: building enrollment  
 col 25: short-term students < 6 months  
 col 26: 4th Grade (or 9th grade) Citizenship % Passed 2001-2002  
 col 27: 4th Grade (or 9th grade) math % Passed 2001-2002  
 col 28: 4th Grade (or 9th grade) reading % Passed 2001-2002  
 col 29: 4th Grade (or 9th grade) writing % Passed 2001-2002  
 col 30: 4th Grade (or 9th grade) science % Passed 2001-2002  
 col 31: pincome per capita income in the zip code area  
 col 32: nonwhite percent of population that is non-white  
 col 33: poverty percent of population in poverty  
 col 34: samehouse % percent of population living in same house 5 years ago  
 col 35: public % of population attending public schools  
 col 36: highschool graduates, educ attainment for 25 years plus  
 col 37: associate degrees, educ attainment for 25 years plus  
 col 38: college, educ attainment for 25 years plus  
 col 39: graduate, educ attainment for 25 years plus  
 col 40: professional, educ attainment for 25 years plus

**ohioGrades** The derived dataset for analyzing the percentage passed based on Zip codes. The variables are:

y: the percentage passed (4th or 9th grade) in each school  
 TchExp: average Teacher's experience  
 Subjects: for five study subjects of Citizenship, Maths, Reading, Writing and Science  
 Stu.Tch: student by teacher ratio  
 School: school index  
 Zip: Zip code

**ohioMedian** The derived dataset for analyzing the median of 4th grade scores based on school districts. The variables are:

MedianScore: the median of 4th grade prof scores  
 district: school districts

**ohioShape** A SpatialPolygonsDataFrame object (see package **sp**) containing the map information of ohio school districts.

**ohioZipDistMat** The spatial distance matrix based on Zip codes. The codes generated this matrix are:

```
Zsp <- model.matrix(~ factor(Zip) - 1, data = ohioGrades)
uzipC <- matrix(0, nrow = ncol(Zsp), ncol = 2)
Zip <- as.numeric(substr(colnames(Zsp), start = 12, stop = 16))
for (i in 1:ncol(Zsp)) {
  Cord <- as.matrix(ohioSchools[(ohioSchools$V1 == Zip[i]), 2:3])
  uzipC[i,] <- Cord[1,]
}
Dst <- as.matrix(dist(uzipC))
for(i in 1:nrow(Dst)) {
  x <- Dst[i,]
  x <- ifelse(x == 0, 0, 1/x)
  Dst[i,] <- ifelse(x > 4, 4, x)
}
ohioZipDistMat <- Dst/4
```

**ohioDistrictDistMat** The spatial distance matrix based on school districts. The codes generated this matrix are:

```
ccNb <- poly2nb(ccShape)
W <- matrix(0, 616, 616)
for (i in 1:nrow(W)) {
  tmp <- as.numeric(ccNb[[i]])
  for (k in tmp) W[i,k] <- 1
}
W[353,] <- W[,353] <- 0
districtShape <- as.numeric(substr(as.character(ohioShape@data$UNSDIDFP), 3, 7))
dimnames(W) <- list(districtShape, districtShape)
districtSchool <- floor(ohioSchools[,5]/10)
districtSchool <- factor(districtSchool[districtSchool %in% districtShape])
levelsShape <- levels(factor(districtShape))
levelsSchool <- levels(districtSchool)
levels(districtSchool) <- c(levelsSchool, levelsShape[!(levelsShape %in% levelsSchool)])
ohioDistrictDistMat <- W[levels(districtSchool),levels(districtSchool)]
```

## Source

J. LeSage and R. Pace (2009). *Introduction to Spatial Econometrics*. Chapman & Hall/CRC, Boca Raton.

## References

J. LeSage and R. Pace (2009). *Introduction to Spatial Econometrics*. Chapman & Hall/CRC, Boca Raton.

M. Alam, L. Ronnegard, X. Shen (2014). **Fitting spatial models in hglm**. *Submitted*.

---

pump	<i>Pump reliability data set from Gaver and O’Muircheartaigh (1987)</i>
------	---

---

### Description

The ‘pump’ data set presents the failures of pumps in several systems of the water reactor nuclear plant Farley 1.

### Format

The ‘pump’ data set contains 4 columns and 10 rows. A short description of the data columns are given below.

**System** The system number.

**S** Number of pumps failures.

**t** Time (in thousand hours) of operation.

**Gr** Pump groups; two levels: 1 = operated continuously, 0 = operated intermittently.

### Source

Gaver, D P. and O’Muircheartaigh, I. G. 1987. Robust Empirical Bayes Analyses of Event Rates, *Technometrics* 29(1),1–15

### References

Lee, Y. and Nelder, J. A. 1996. Hierarchical generalized linear models, *Journal of the Royal Statistical Association (B, Theory and Methods)* 58(4), 619–678.

---

QTLMAS	<i>Simulated Data Set for the QTLMAS 2009 Workshop</i>
--------	--

---

### Description

The data was simulated for the QTLMAS 2009 workshop in Wageningen, The Netherlands. The data was made available at <http://www.qtlmas2009.wur.nl/UK/Dataset/> and consists of markers, trait values and pedigree information. The original data set consisted of several traits and markers from several chromosomes, whereas the current data set included in this package consists of one trait ("P265"), pedigree information and data from 90 markers on chromosome number 1. There are 2025 individuals in the pedigree where 1000 individuals have trait values.

### Format

A matrix containing 1000 rows and 2116 columns. The first column contains the trait values. Columns 2 to 2026 contains matrix Z, i.e. the pedigree information (as the Colesky factorization of the additive relationship matrix). Columns 2027 to 2116 contains matrix Z.marker, i.e. the marker information for the 90 markers on chromosome 1.

**Source**

QTLMAS 2009 Workshop <http://www.qtlmas2009.wur.nl/UK/Dataset/>

**References**

Coster, A., Bastiaansen J., Calus M., Maliepaard C. and Bink M. 2009. QTLMAS 2009: Simulated dataset. (submitted)

---

salamander

*Salamander mating data set from McCullagh and Nelder (1989)*

---

**Description**

‘salamander’ data set presents the outcome of an experiment which was conducted at the University of Chicago in 1986 to study the extent at which mountain dusky salamanders from different populations would interbreed. More detailed description of the data is given in its original source, McCullagh and Nelder (1989).

**Format**

‘salamander’ data set contains 6 columns and 360 rows. A brief description of the data columns is given below.

**Season** The seasons, Spring and Summer of 1986, when the experiment was carried out.

**Experiment** Experiment number; 1,2,3.

**TypeM** Type of the male salamander; Rough Butt=R and White Side=W

**TypeF** Type of the female salamander; Rough Butt=R and White Side=W

**Cross** Cross between female and male type e.g. Cross=WR mean a White Side female was crossed with a Rough Butt male.

**Male** Identification number of the male salamander.

**Female** Identification number of the female salamander.

**Mate** Whether a mating was observed, Yes=1 and No=0.

**Source**

McCullagh P. and Nelder, J. A. 1989. *Generalized Linear Models*, Section 14.5, Chapman and Hall/CRC.

seeds

*Seeds germination data set from Crowder (1978)***Description**

The data set was initially presented in Corder (1978) to demonstrate the problem of over dispersion with binomial response and its solution via beta-binomial ANOVA. Latter, the data set is used by may others including Breslow and Clayton (1993) and Lee and Nelder (1996) to demonstrate the usefulness of the Generalized Linear Mixed (and hierarchical) model. The seeds data set was originally obtained from a 2 by 2 factorial layout. The experiment was conducted on two types of seeds, *O. aegyptiaca* 75 and *O. aegyptiaca* 73, and two root extracts, bean and cucumber with an equal dilution, 1/125. Experimental units (plates) were prepared with the specific roots extracts and a batch of certain seeds was brushed into the plates. The outcome is the count of germinated seed out of the total number of seeds applied in each plate.

**Format**

The seeds data set contains 5 columns and 21 rows. A short description of the data columns are given below.

**plate** Plate number.

**seed** Seed type; 2 levels: O75 (*O. aegyptiaca* 75) and O73 (*O. aegyptiaca* 73).

**extract** Type of roots extract; 2 levels: Bean and Cucumber.

**r** Response; number of seeds germinated in each plate.

**n** Total number of seeds applied in each plate.

**Source**

Crowder, M. J. 1978. Beta-binomial Anova for proportions, *Journal of the Royal Statistical Society (C, Applied Statistics)* 27(1), 34–37.

**References**

Breslow, N. E. and Clayton, D. G. 1993. Approximate inference in generalized linear mixed models, *Journal of the American Statistical Association* 88, 9–25.  
 Lee, Y. and Nelder, J. A. 1996. Hierarchical generalized linear models, *Journal of the Royal Statistical Association (B, Theory and Methods)* 58(4), 619–678.



---

semiconductor*Semiconductor data set from GenStat.*

---

**Description**

The semiconductor data set is obtained from a  $2^{6-2}$  factorial design conducted in a semiconductor plant. The design variables, Lamination (3 factors; Temperature, Time and Pressure) and Firing (3 factors; Temperature, Cycle Time and Dew Point), are each taken at two levels. The goal of the original data analysis was to model the curvature or camber (taken in  $1e-4$  in./in.) as a function of the design variables. The data set is taken from GenStat 11.1. It is also used in Lee et al. (2006) where Mayers et al. (2002) is referred to as the original source of the data.

**Format**

This data set contains 64 rows and the following columns

**Device** Substrate device

**x1** Lamination Temperature; two levels +1 and -1.

**x2** Lamination Time; two levels: +1 and -1.

**x3** Lamination Pressure; two levels: +1 and -1.

**x4** Firing Temperature; two levels: +1 and -1.

**x5** Firing Cycle Time; two levels: +1 and -1.

**x6** Firing Dew Point: two levels: +1 and -1.

**y** Camber measure; in  $1e-4$  in./in.

**Source**

GenStat(R) Release 11.1. VSN International Limited.

**References**

Lee, Y. and Nelder J. A., and Pawitan, Y. 2006. *Generalized Linear Models with Random Effectes*, Chapman and Hall/CRC.

Mayers, P. H., Montgomery, D. C. and Vining G. G. 2002. *Generalized Linear Models with Application in Engineering and Science*, John Wiley and Sons.

# Index

## \* **datasets**

- cancer, [3](#)
- ohio, [3](#)
- pump, [6](#)
- QTLMAS, [6](#)
- salamander, [7](#)
- seeds, [8](#)
- semiconductor, [9](#)

## \* **package**

- hglm.data-package, [2](#)

cancer, [3](#)

E (cancer), [3](#)

hglm.data (hglm.data-package), [2](#)

hglm.data-package, [2](#)

nbr (cancer), [3](#)

O (cancer), [3](#)

ohio, [3](#)

ohioDistrictDistMat (ohio), [3](#)

ohioGrades (ohio), [3](#)

ohioMedian (ohio), [3](#)

ohioSchools (ohio), [3](#)

ohioShape (ohio), [3](#)

ohioZipDistMat (ohio), [3](#)

Paff (cancer), [3](#)

pump, [6](#)

QTLMAS, [6](#)

salamander, [7](#)

seeds, [8](#)

semiconductor, [9](#)