

Package ‘liqueueR’

July 22, 2025

Type Package

Title Implements Queue, PriorityQueue and Stack Classes

Version 0.0.1

Description Provides three classes: Queue, PriorityQueue and Stack. Queue is just a
``plain vanilla" FIFO queue; PriorityQueue orders items according to priority. Stack imple-
ments LIFO.

URL <https://github.com/DataWookiee/liqueueR>

License GPL-3

Encoding UTF-8

LazyData true

Imports itertools, methods

Suggests testthat, iterators

RoxygenNote 5.0.1

NeedsCompilation no

Author Andrew Collier [aut, cre]

Maintainer Andrew Collier <andrew@exegetic.biz>

Repository CRAN

Date/Publication 2016-08-22 19:53:24

Contents

PriorityQueue-class	2
Queue-class	2
Stack-class	3
Index	4

PriorityQueue-class *A PriorityQueue reference class*

Description

Derived from the Queue class.

Fields

data Initial data to populate the queue.

priorities Numeric queue priorities.

Methods

pop(N = 1) Removes and returns head of queue (or raises error if queue is empty). N is number of items to pop.

push(item) Inserts element at back of the queue.

See Also

[Queue-class](#) for information on base class.

Queue-class *A Queue reference class*

Description

A Queue reference class

Fields

data Initial data to populate the queue.

Methods

peek(pos = c(1), as.list = FALSE) Returns (but does not remove) specified positions in queue (or NULL if any one of them is not available). The as.list argument will cause a list to be returned even if only one element requested.

poll() Removes and returns head of queue (or NULL if queue is empty).

pop(N = 1) Removes and returns head of queue (or raises error if queue is empty). N is number of items to pop.

push(item) Inserts element at back of the queue.

size() Returns the number of items in the queue.

Examples

```
queue <- Queue$new()
queue$push("one")
queue$push(2)
queue$push("three")
queue$size()
queue$pop()
queue$poll()
```

Stack-class

A Stack reference class

Description

Derived from the Queue class.

Fields

data Initial data to populate the stack.

Methods

push(item) Inserts element at back of the queue.

See Also

[Queue-class](#) for information on base class.

Index

PriorityQueue (PriorityQueue-class), [2](#)
PriorityQueue-class, [2](#)

Queue (Queue-class), [2](#)
Queue-class, [2](#)

Stack (Stack-class), [3](#)
Stack-class, [3](#)