

# Package ‘valection’

July 22, 2025

**Type** Package

**Title** Sampler for Verification Studies

**Version** 1.0.0

**Date** 2018-02-05

**Author** Chris Cooper [aut],  
Dorota H. Sendorek [ctb],  
Paul C. Boutros [cre, cph]

**Maintainer** Paul C. Boutros <Paul.Boutros@oicr.on.ca>

**Description** A binding for the 'valection' program which offers various ways to sample the outputs of competing algorithms or parameterizations, and fairly assess their performance against each other. The 'valection' C library is required to use this package and can be downloaded from:  
<<http://labs.oicr.on.ca/boutros-lab/software/valection>>. Cooper CI, et al; Valection: Design Optimization for Validation and Verification Studies; Biorxiv 2018; <[doi:10.1101/254839](https://doi.org/10.1101/254839)>.

**Depends** R (>= 3.1.0)

**SystemRequirements** valection (>= 1.0.0)

**URL** <http://labs.oicr.on.ca/boutros-lab/software/valection>

**License** GPL-3

**Imports** testthat

**RoxygenNote** 6.0.1

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2018-02-06 09:29:33 UTC

## Contents

run.decreasing.with.overlap . . . . .	2
run.directed.sampling . . . . .	3
run.equal.per.caller . . . . .	4

run.equal.per.overlap . . . . .	5
run.increasing.with.overlap . . . . .	6
run.random.sampling . . . . .	7

<b>Index</b>	<b>8</b>
--------------	----------

---

run.decreasing.with.overlap  
*Run the decreasing with overlap algorithm*

---

## Description

Runs the decreasing with overlap algorithm from the valection library.

## Usage

```
run.decreasing.with.overlap(budget, infile, outfile, seed);
```

## Arguments

budget	An integer specifying the number of candidates to select.
infile	Path to input file. It should be formatted with a tab separating the caller and call on each line. caller1 name a call this caller made caller2 name a call this caller made
outfile	Path to a filename where the calls should be outputted.
seed	An integer specifying the random seed value. Optional.

## Details

Sampling calls where the likelihood of a call getting selected is inversely proportional to the number of callers that made the call.

## Author(s)

Chris Cooper

## Examples

```
## Not run:
run.decreasing.with.overlap(
  budget = 5,
  infile = system.file("extdata/infile_example.tsv", package = "valection"),
  outfile = "outfile_decreasingWithOverlap.txt"
);

## End(Not run)
```

---

run.directed.sampling *Run the directed sampling algorithm*

---

## Description

Runs the directed sampling algorithm from the valection library.

## Usage

```
run.directed.sampling(budget, infile, outfile, seed);
```

## Arguments

budget	An integer specifying the number of candidates to select.
infile	Path to input file. It should be formatted with a tab separating the caller and call on each line. caller1 name a call this caller made caller2 name a call this caller made
outfile	Path to a filename where the calls should be outputted.
seed	An integer specifying the random seed value. Optional.

## Details

Sampling calls where a) an equal number of calls is selected from each caller and b) the likelihood of a call getting selected is proportional to the number of callers that made it.

## Author(s)

Chris Cooper

## Examples

```
## Not run:
run.directed.sampling(
  budget = 5,
  infile = system.file("extdata/infile_example.tsv", package = "valection"),
  outfile = "outfile_directedSampling.txt"
);

## End(Not run)
```

---

run.equal.per.caller    *Run the equal per caller algorithm*

---

## Description

Runs the equal per caller algorithm from the valection library.

## Usage

```
run.equal.per.caller(budget, infile, outfile, seed);
```

## Arguments

budget	An integer specifying the number of candidates to select.
infile	Path to input file. It should be formatted with a tab separating the caller and call on each line. caller1 name a call this caller made caller2 name a call this caller made
outfile	Path to a filename where the calls should be outputted.
seed	An integer specifying the random seed value. Optional.

## Details

Sampling calls where an equal number of calls is selected from each caller.

## Author(s)

Chris Cooper

## Examples

```
## Not run:
run.equal.per.caller(
  budget = 5,
  infile = system.file("extdata/infile_example.tsv", package = "valection"),
  outfile = "outfile_runEqualPerCaller.txt"
);

## End(Not run)
```

---

run.equal.per.overlap *Run the equal per overlap algorithm*

---

## Description

Runs the equal per overlap algorithm from the valection library.

## Usage

```
run.equal.per.overlap(budget, infile, outfile, seed);
```

## Arguments

budget	An integer specifying the number of candidates to select.
infile	Path to input file. It should be formatted with a tab separating the caller and call on each line. caller1 name a call this caller made caller2 name a call this caller made
outfile	Path to a filename where the calls should be outputted.
seed	An integer specifying the random seed value. Optional.

## Details

Sampling calls by, first, grouping calls by number of callers making the call and, second, selecting an equal number of calls from each group.

## Author(s)

Chris Cooper

## Examples

```
## Not run:
run.equal.per.overlap(
  budget = 5,
  infile = system.file("extdata/infile_example.tsv", package = "valection"),
  outfile = "outfile_equalPerOverlap.txt"
);

## End(Not run)
```

---

`run.increasing.with.overlap`*Run the increasing with overlap algorithm*

---

## Description

Runs the increasing with overlap algorithm from the valection library.

## Usage

```
run.increasing.with.overlap(budget, infile, outfile, seed);
```

## Arguments

budget	An integer specifying the number of candidates to select.
infile	Path to input file. It should be formatted with a tab separating the caller and call on each line. caller1 name a call this caller made caller2 name a call this caller made
outfile	Path to a filename where the calls should be outputted.
seed	An integer specifying the random seed value. Optional.

## Details

Sampling calls where the likelihood of a call getting selected is proportional to the number of callers that made the call.

## Author(s)

Chris Cooper

## Examples

```
## Not run:
run.increasing.with.overlap(
  budget = 5,
  infile = system.file("extdata/infile_example.tsv", package = "valection"),
  outfile = "outfile_increasingWithOverlap.txt"
);

## End(Not run)
```

---

run.random.sampling	<i>Run the random sampling algorithm</i>
---------------------	--

---

**Description**

Runs the random sampling algorithm from the valection library.

**Usage**

```
run.random.sampling(budget, infile, outfile, seed);
```

**Arguments**

budget	An integer specifying the number of candidates to select.
infile	Path to input file. It should be formatted with a tab separating the caller and call on each line. caller1 name a call this caller made caller2 name a call this caller made
outfile	Path to a filename where the calls should be outputted.
seed	An integer specifying the random seed value. Optional.

**Details**

Sampling calls randomly where each call has an equal probability of getting selected.

**Author(s)**

Chris Cooper

**Examples**

```
## Not run:
run.random.sampling(
  budget = 5,
  infile = system.file("extdata/infile_example.tsv", package = "valection"),
  outfile = "outfile_randomSampling.txt"
);

## End(Not run)
```

# Index

`run.decreasing.with.overlap`, [2](#)  
`run.directed.sampling`, [3](#)  
`run.equal.per.caller`, [4](#)  
`run.equal.per.overlap`, [5](#)  
`run.increasing.with.overlap`, [6](#)  
`run.random.sampling`, [7](#)