

Package ‘vars’

July 22, 2025

Type Package

Title VAR Modelling

Version 1.6-1

Date 2024-03-20

Depends R (>= 2.0.0), MASS, strucchange, urca (>= 1.1-6), lmtest (>= 0.9-26), sandwich (>= 2.2-4)

Imports methods

LazyLoad yes

Description Estimation, lag selection, diagnostic testing, forecasting, causality analysis, forecast error variance decomposition and impulse response functions of VAR models and estimation of SVAR and SVEC models.

License GPL (>= 2)

URL <https://www.pfaffikus.de>

Author Bernhard Pfaff [aut, cre],
Matthieu Stigler [ctb]

Maintainer Bernhard Pfaff <bernhard@pfaffikus.de>

LazyData true

Repository CRAN

Repository/R-Forge/Project vars

Repository/R-Forge/Revision 99

Repository/R-Forge/DateTimeStamp 2013-07-21 14:35:42

Date/Publication 2024-03-21 12:20:02 UTC

NeedsCompilation no

Contents

Acoef	2
arch.test	3
Bcoef	5

BQ	6
Canada	8
causality	9
coef	11
fanchart	12
fevd	13
fitted	15
irf	16
logLik	18
normality.test	19
Phi	20
plot	22
predict	25
Psi	27
residuals	28
restrict	29
roots	31
serial.test	32
stability	34
summary	35
SVAR	38
SVEC	41
VAR	44
vars-deprecated	46
VARselect	46
vec2var	48
Index	50

Acoef	<i>Coefficient matrices of the lagged endogenous variables</i>
-------	--

Description

Returns the estimated coefficient matrices of the lagged endogenous variables as a list of matrices each with dimension $(K \times K)$.

Usage

Acoef(x)

Arguments

x An object of class ‘varest’, generated by VAR().

Details

Given an estimated VAR(p) of the form:

$$\hat{\mathbf{y}}_t = \hat{A}_1 \mathbf{y}_{t-1} + \dots + \hat{A}_p \mathbf{y}_{t-p} + \hat{C} D_t$$

the function returns the matrices $(\hat{A}_1, \dots, \hat{A}_p)$ each with dimension $(K \times K)$ as a list object.

Value

A list object with coefficient matrices for the lagged endogenous variables.

Note

This function was named `A` in earlier versions of package **vars**; it is now deprecated. See [vars-deprecated](#) too.

Author(s)

Bernhard Pfaff

See Also

[Bcoef](#), [VAR](#)

Examples

```
data(Canada)
var.2c <- VAR(Canada, p = 2, type = "const")
Acoef(var.2c)
```

arch.test

ARCH-LM test

Description

This function computes univariate and multivariate ARCH-LM tests for a VAR(p).

Usage

```
arch.test(x, lags.single = 16, lags.multi = 5, multivariate.only = TRUE)
```

Arguments

<code>x</code>	Object of class ‘varest’; generated by <code>VAR()</code> , or an object of class ‘vec2var’; generated by <code>vec2var()</code> .
<code>lags.single</code>	An integer specifying the lags to be used for the univariate ARCH statistics.
<code>lags.multi</code>	An integer specifying the lags to be used for the multivariate ARCH statistic.
<code>multivariate.only</code>	If TRUE (the default), only the multivariate test statistic is computed.

Details

The multivariate ARCH-LM test is based on the following regression (the univariate test can be considered as special case of the exhibition below and is skipped):

$$vech(\hat{\mathbf{u}}_t \hat{\mathbf{u}}_t') = \beta_0 + B_1 vech(\hat{\mathbf{u}}_{t-1} \hat{\mathbf{u}}_{t-1}') + \dots + B_q vech(\hat{\mathbf{u}}_{t-q} \hat{\mathbf{u}}_{t-q}' + \mathbf{v}_t)$$

whereby \mathbf{v}_t assigns a spherical error process and $vech$ is the column-stacking operator for symmetric matrices that stacks the columns from the main diagonal on downwards. The dimension of β_0 is $\frac{1}{2}K(K+1)$ and for the coefficient matrices B_i with $i = 1, \dots, q$, $\frac{1}{2}K(K+1) \times \frac{1}{2}K(K+1)$. The null hypothesis is: $H_0 := B_1 = B_2 = \dots = B_q = 0$ and the alternative is: $H_1 : B_1 \neq 0 \text{ or } B_2 \neq 0 \text{ or } \dots B_q \neq 0$. The test statistic is:

$$VARCH_{LM}(q) = \frac{1}{2}TK(K+1)R_m^2 \quad ,$$

with

$$R_m^2 = 1 - \frac{2}{K(K+1)}tr(\hat{\Omega}\hat{\Omega}_0^{-1}) \quad ,$$

and $\hat{\Omega}$ assigns the covariance matrix of the above defined regression model. This test statistic is distributed as $\chi^2(qK^2(K+1)^2/4)$.

Value

A list with class attribute ‘varcheck’ holding the following elements:

resid	A matrix with the residuals of the VAR.
arch.uni	A list with objects of class ‘htest’ containing the univariate ARCH-LM tests per equation. This element is only returned if <code>multivariate.only = FALSE</code> is set.
arch.mul	An object with class attribute ‘htest’ containing the multivariate ARCH-LM statistic.

Note

This function was named `arch` in earlier versions of package **vars**; it is now deprecated. See [vars-deprecated](#) too.

Author(s)

Bernhard Pfaff

References

- Doornik, J. A. and D. F. Hendry (1997), *Modelling Dynamic Systems Using PcFiml 9.0 for Windows*, International Thomson Business Press, London.
- Engle, R. F. (1982), Autoregressive conditional heteroscedasticity with estimates of the variance of United Kingdom inflation, *Econometrica*, **50**: 987-1007.
- Hamilton, J. (1994), *Time Series Analysis*, Princeton University Press, Princeton.
- Lütkepohl, H. (2006), *New Introduction to Multiple Time Series Analysis*, Springer, New York.

See Also

[VAR](#), [vec2var](#), [resid](#), [plot](#)

Examples

```
data(Canada)
var.2c <- VAR(Canada, p = 2, type = "const")
arch.test(var.2c)
```

Bcoef

Coefficient matrix of an estimated VAR(p)

Description

Returns the estimated coefficients of a VAR(p) as a matrix.

Usage

```
Bcoef(x)
```

Arguments

x An object of class ‘varest’, generated by VAR().

Details

Given an estimated VAR of the form:

$$\hat{\mathbf{y}}_t = \hat{A}_1 \mathbf{y}_{t-1} + \dots + \hat{A}_p \mathbf{y}_{t-p} + \hat{C} D_t$$

the function returns the matrices $(\hat{A}_1 | \dots | \hat{A}_p | \hat{C})$ as a matrix object.

Value

A matrix holding the estimated coefficients of a VAR.

Note

This function was named B in earlier versions of package **vars**; it is now deprecated. See [vars-deprecated](#) too.

Author(s)

Bernhard Pfaff

See Also

[Acoef](#), [VAR](#)

Examples

```
data(Canada)
var.2c <- VAR(Canada, p = 2, type = "const")
Bcoef(var.2c)
```

BQ

Estimates a Blanchard-Quah type SVAR

Description

This function estimates a SVAR of type Blanchard and Quah. It returns a list object with class attribute 'svarest'.

Usage

```
BQ(x)
```

Arguments

x Object of class 'varest'; generated by VAR().

Details

For a Blanchard-Quah model the matrix A is set to be an identity matrix with dimension K . The matrix of the long-run effects is assumed to be lower-triangular and is defined as:

$$(I_K - A_1 - \dots - A_p)^{-1}B$$

Hence, the residual of the second equation cannot exert a long-run influence on the first variable and likewise the third residual cannot impact the first and second variable. The estimation of the Blanchard-Quah model is achieved by a Choleski decomposition of:

$$(I_K - \hat{A}_1 - \dots - \hat{A}_p)^{-1} \hat{\Sigma}_u (I_K - \hat{A}_1' - \dots - \hat{A}_p')^{-1}$$

The matrices \hat{A}_i for $i = 1, \dots, p$ assign the reduced form estimates. The long-run impact matrix is the lower-triangular Choleski decomposition of the above matrix and the contemporaneous impact matrix is equal to:

$$(I_K - A_1 - \dots - A_p)Q$$

where Q assigns the lower-triangular Choleski decomposition.

Value

A list of class 'svarest' with the following elements is returned:

A	An identity matrix.
Ase	NULL.
B	The estimated contemporaneous impact matrix.
Bse	NULL.
LRIM	The estimated long-run impact matrix.
Sigma.U	The variance-covariance matrix of the reduced form residuals times 100.
LR	NULL.
opt	NULL.
start	NULL.
type	Character: "Blanchard-Quah".
var	The 'varest' object 'x'.
call	The call to BQ().

Author(s)

Bernhard Pfaff

References

Blanchard, O. and D. Quah (1989), The Dynamic Effects of Aggregate Demand and Supply Disturbances, *The American Economic Review*, **79**(4), 655-673.

Hamilton, J. (1994), *Time Series Analysis*, Princeton University Press, Princeton.

Lütkepohl, H. (2006), *New Introduction to Multiple Time Series Analysis*, Springer, New York.

See Also

[SVAR](#), [VAR](#)

Examples

```
data(Canada)
var.2c <- VAR(Canada, p = 2, type = "const")
BQ(var.2c)
```

Canada

*Canada: Macroeconomic time series***Description**

The original time series are published by the OECD. The sample range is from the 1stQ 1980 until 4thQ 2000. The following series have been utilised in the construction of the series provided in Canada:

Main Economic Indicators:

Canadian unemployment rate in %	444113DSA
Canadian manufacturing real wage	444321KSA
Canadian consumer price index	445241K

Quarterly National Accounts:

Canadian nominal GDP	CAN1008S1
----------------------	-----------

Labour Force Statistics:

Canadian civil employment in 1000 persons	445005DSA
---	-----------

The series in Canada are constructed as:

$$\begin{aligned} \text{prod} &:= 100 * (\ln(\text{CAN1008S1}/445241\text{K}) - \ln(445005\text{DSA})) \\ e &:= 100 * \ln(445005\text{DSA}) \\ U &:= 444113\text{DSA} \\ \text{rw} &:= 100 * \ln(100 * 444321\text{KSA}) \end{aligned}$$

Hence, prod is used as a measure of labour productivity; e is used for employment; U is the unemployment rate and rw assigns the real wage.

Usage

Canada

Format

An object with class attributes `mts` and `ts` containing four variables with 84 observations.

Source

OECD: <https://www.oecd.org>; data set is available for download at http://www.jmulti.org/data_atse.html, the official homepage of JMULTI is <http://www.jmulti.com>. The book resource for JMULTI is: Luetkepohl, H. and Kraetzig, M., *Applied Time Series Econometrics*, Cambridge University Press, Cambridge, 2004.

causality

*Causality Analysis***Description**

Computes the test statistics for Granger- and Instantaneous causality for a VAR(p).

Usage

```
causality(x, cause = NULL, vcov.=NULL, boot=FALSE, boot.runs=100)
```

Arguments

<code>x</code>	Object of class ‘varest’; generated by <code>VAR()</code> .
<code>cause</code>	A character vector of the cause variable(s). If not set, then the variable in the first column of <code>x\$y</code> is used as cause variable and a warning is printed.
<code>vcov.</code>	a specification of the covariance matrix of the estimated coefficients. This can be specified as a matrix or as a function yielding a matrix when applied to <code>x</code> .
<code>boot</code>	Logical. Whether a wild bootstrap procedure should be used to compute the critical values. Default is no
<code>boot.runs</code>	Number of bootstrap replications if <code>boot=TRUE</code>

Details

Two causality tests are implemented. The first is a F-type Granger-causality test and the second is a Wald-type test that is characterized by testing for nonzero correlation between the error processes of the cause and effect variables. For both tests the vector of endogenous variables \mathbf{y}_t is split into two subvectors \mathbf{y}_{1t} and \mathbf{y}_{2t} with dimensions $(K_1 \times 1)$ and $(K_2 \times 1)$ with $K = K_1 + K_2$.

For the rewritten VAR(p):

$$[\mathbf{y}_{1t}, \mathbf{y}_{2t}] = \sum_{i=1}^p [\alpha'_{11,i}, \alpha'_{12,i} | \alpha'_{21,i}, \alpha'_{22,i}] [\mathbf{y}_{1,t-i}, \mathbf{y}_{2,t-i}] + CD_t + [\mathbf{u}_{1t}, \mathbf{u}_{2t}] \quad ,$$

the null hypothesis that the subvector \mathbf{y}_{1t} does not Granger-cause \mathbf{y}_{2t} , is defined as $\alpha_{21,i} = 0$ for $i = 1, 2, \dots, p$. The alternative is: $\exists \alpha_{21,i} \neq 0$ for $i = 1, 2, \dots, p$. The test statistic is distributed as $F(pK_1K_2, KT - n^*)$, with n^* equal to the total number of parameters in the above VAR(p)

(including deterministic regressors).

The null hypothesis for instantaneous causality is defined as: $H_0 : C\sigma = 0$, where C is a $(N \times K(K+1)/2)$ matrix of rank N selecting the relevant co-variances of \mathbf{u}_{1t} and \mathbf{u}_{2t} ; $\sigma = \text{vech}(\Sigma_u)$. The Wald statistic is defined as:

$$\lambda_W = T\tilde{\sigma}'C'[2CD_K^+(\tilde{\Sigma}_u \otimes \tilde{\Sigma}_u)D_K^{+'}C']^{-1}C\tilde{\sigma} \quad ,$$

hereby assigning the Moore-Penrose inverse of the duplication matrix D_K with D_K^+ and $\tilde{\Sigma}_u = \frac{1}{T} \sum_{t=1}^T \hat{\mathbf{u}}_t \hat{\mathbf{u}}_t'$. The duplication matrix D_K has dimension $(K^2 \times \frac{1}{2}K(K+1))$ and is defined such that for any symmetric $(K \times K)$ matrix A , $\text{vec}(A) = D_K \text{vech}(A)$ holds. The test statistic λ_W is asymptotically distributed as $\chi^2(N)$.

For the Granger causality test, a robust covariance-matrix estimator can be used in case of heteroskedasticity through argument `vcov`. It can be either a pre-computed matrix or a function for extracting the covariance matrix. See `vcovHC` from package **sandwich** for further details.

A wild bootstrap computation (imposing the restricted model as null) of the p values is available through argument `boot` and `boot.runs` following Hafner and Herwartz (2009).

Value

A list with elements of class 'htest':

Granger	The result of the Granger-causality test.
Instant	The result of the instantaneous causality test.

Note

The Moore-Penrose inverse matrix is computed with the function `ginv` contained in the package 'MASS'.

The Granger-causality test is problematic if some of the variables are nonstationary. In that case the usual asymptotic distribution of the test statistic may not be valid under the null hypothesis.

Author(s)

Bernhard Pfaff

References

- Granger, C. W. J. (1969), Investigating causal relations by econometric models and cross-spectral methods, *Econometrica*, **37**: 424-438.
- Hafner, C. M. and Herwartz, H. (2009) Testing for linear vector autoregressive dynamics under multivariate generalized autoregressive heteroskedasticity, *Statistica Neerlandica*, **63**: 294-323
- Hamilton, J. (1994), *Time Series Analysis*, Princeton University Press, Princeton.
- Lütkepohl, H. (2006), *New Introduction to Multiple Time Series Analysis*, Springer, New York.
- Venables, W. N. and B. D. Ripley (2002), *Modern Applied Statistics with S*, 4th edition, Springer, New York.
- Zeileis, A. (2006) Object-Oriented Computation of Sandwich Estimators *Journal of Statistical Software*, **16**, 1-16

See Also[VAR](#)**Examples**

```
data(Canada)
var.2c <- VAR(Canada, p = 2, type = "const")
causality(var.2c, cause = "e")

#use a robust HC variance-covariance matrix for the Granger test:
causality(var.2c, cause = "e", vcov=vcovHC(var.2c))

#use a wild-bootstrap procedure to for the Granger test
## Not run: causality(var.2c, cause = "e", boot=TRUE, boot.runs=1000)
```

coef

*Coefficient method for objects of class varest***Description**

Returns the coefficients of a VAR(p)-model for objects generated by VAR(). Thereby the coef-method is applied to the summary of the list element `varresult`, which is itself a list of `summary.lm`-objects.

Usage

```
## S3 method for class 'varest'
coef(object, ...)
```

Arguments

<code>object</code>	An object of class ‘varest’; generated by VAR()
<code>...</code>	Currently not used.

Author(s)

Bernhard Pfaff

References

Hamilton, J. (1994), *Time Series Analysis*, Princeton University Press, Princeton.
 Lütkepohl, H. (2006), *New Introduction to Multiple Time Series Analysis*, Springer, New York.

See Also[VAR](#)

Examples

```
data(Canada)
var.2c <- VAR(Canada, p = 2, type = "const")
coef(var.2c)
```

fanchart

Fanchart plot for objects of class varprd

Description

Time Series plots of VAR forecasts with differently shaded confidence regions (fanchart) for each endogenous variable.

Usage

```
fanchart(x, colors = NULL, cis = NULL, names = NULL, main = NULL, ylab =
NULL, xlab = NULL, col.y = NULL, nc, plot.type = c("multiple",
"single"), mar = par("mar"), oma = par("oma"), ... )
```

Arguments

x	An object of class 'varprd'; generated by predict().
colors	Character vector of colors to be used for shading. If unset, a gray color scheme is used.
cis	A numeric vector of confidence intervals. If unset the sequence from 0.1 to 0.9 is used (step size 0.1).
names	Character vector, names of variables for fancharts. If unset, all variables are plotted.
main	Character vector, title for fanchart plots.
ylab	Character, ylab for fanchart.
xlab	Character, xlab for fanchart.
col.y	Character, color for plotted time series.
plot.type	Character, if multiple all fancharts appear in one device.
nc	Integer, number of columns if plot.type is multiple.
mar	Vector, setting of margins.
oma	Vector, setting of outer margins.
...	Dot argument, passed to plot.ts.

Author(s)

Bernhard Pfaff

References

Britton, E., P.G. Fisher and J.D. Whitley (1998), Inflation Report projections: understanding the fan chart, *Bank of England Quarterly Bulletin*, February, Bank of England, pages 30-37.

See Also

[VAR](#), [predict](#), [plot](#), [par](#)

Examples

```
## Not run:
data(Canada)
var.2c <- VAR(Canada, p = 2, type = "const")
var.2c.prd <- predict(var.2c, n.ahead = 8, ci = 0.95)
fanchart(var.2c.prd)

## End(Not run)
```

fevd

Forecast Error Variance Decomposition

Description

Computes the forecast error variance decomposition of a VAR(p) for n.ahead steps.

Usage

```
## S3 method for class 'varest'
fevd(x, n.ahead=10, ...)
## S3 method for class 'svarest'
fevd(x, n.ahead=10, ...)
## S3 method for class 'svecest'
fevd(x, n.ahead=10, ...)
## S3 method for class 'vec2var'
fevd(x, n.ahead=10, ...)
```

Arguments

x	Object of class 'varest'; generated by VAR(), or an object of class 'svarest'; generated by SVAR(), or an object of class 'vec2var'; generated by vec2var(), or an object of class 'svecest'; generated by SVEC().
n.ahead	Integer specifying the steps.
...	Currently not used.

Details

The forecast error variance decomposition is based upon the orthogonalised impulse response coefficient matrices Ψ_h and allow the user to analyse the contribution of variable j to the h -step forecast error variance of variable k . If the orthogonalised impulse responses are divided by the variance of the forecast error $\sigma_k^2(h)$, the resultant is a percentage figure. Formally:

$$\sigma_k^2(h) = \sum_{n=0}^{h-1} (\psi_{k1,n}^2 + \dots + \psi_{kK,n}^2)$$

which can be written as:

$$\sigma_k^2(h) = \sum_{j=1}^K (\psi_{kj,0}^2 + \dots + \psi_{kj,h-1}^2) \quad .$$

Dividing the term $(\psi_{kj,0}^2 + \dots + \psi_{kj,h-1}^2)$ by $\sigma_k^2(h)$ yields the forecast error variance decompositions in percentage terms.

Value

A list with class attribute ‘varfevd’ of length K holding the forecast error variances as matrices.

Author(s)

Bernhard Pfaff

References

- Hamilton, J. (1994), *Time Series Analysis*, Princeton University Press, Princeton.
- Lütkepohl, H. (2006), *New Introduction to Multiple Time Series Analysis*, Springer, New York.

See Also

[VAR](#), [SVAR](#), [vec2var](#), [SVEC](#), [Phi](#), [Psi](#), [plot](#)

Examples

```
data(Canada)
var.2c <- VAR(Canada, p = 2, type = "const")
fevd(var.2c, n.ahead = 5)
```

fitted*Fit method for objects of class varest or vec2var*

Description

Returns the fitted values of a VAR(p)-model for objects generated by VAR() or vec2var(). For objects of class varest the fitted.values-method is applied to the list element varresult, which is itself a list of lm-objects.

Usage

```
## S3 method for class 'varest'  
fitted(object, ...)  
## S3 method for class 'vec2var'  
fitted(object, ...)
```

Arguments

object	An object of class 'varest'; generated by VAR(), or an object of class 'vec2var'; generated by vec2var().
...	Currently not used.

Author(s)

Bernhard Pfaff

References

Hamilton, J. (1994), *Time Series Analysis*, Princeton University Press, Princeton.
Lütkepohl, H. (2006), *New Introduction to Multiple Time Series Analysis*, Springer, New York.

See Also

[VAR](#), [vec2var](#)

Examples

```
data(Canada)  
var.2c <- VAR(Canada, p = 2, type = "const")  
fitted(var.2c)
```

irf	<i>Impulse response function</i>
-----	----------------------------------

Description

Computes the impulse response coefficients of a VAR(p) (or transformed VECM to VAR(p)) or a SVAR for n. ahead steps.

Usage

```
## S3 method for class 'varest'
irf(x, impulse = NULL, response = NULL, n.ahead = 10,
    ortho = TRUE, cumulative = FALSE, boot = TRUE, ci = 0.95,
    runs = 100, seed = NULL, ...)
## S3 method for class 'svarest'
irf(x, impulse = NULL, response = NULL, n.ahead = 10,
    ortho = TRUE, cumulative = FALSE, boot = TRUE, ci = 0.95,
    runs = 100, seed = NULL, ...)
## S3 method for class 'vec2var'
irf(x, impulse = NULL, response = NULL, n.ahead = 10,
    ortho = TRUE, cumulative = FALSE, boot = TRUE, ci = 0.95,
    runs = 100, seed = NULL, ...)
## S3 method for class 'svecest'
irf(x, impulse = NULL, response = NULL, n.ahead = 10,
    ortho = TRUE, cumulative = FALSE, boot = TRUE, ci = 0.95,
    runs = 100, seed = NULL, ...)
```

Arguments

x	Object of class 'varest'; generated by VAR(), or object of class 'svarest'; generated by SVAR(), or object of class 'vec2var'; generated by vec2var(), or object of class 'svecest'; generated by SVEC().
impulse	A character vector of the impulses, default is all variables.
response	A character vector of the responses, default is all variables.
n.ahead	Integer specifying the steps.
ortho	Logical, if TRUE (the default) the orthogonalised impulse response coefficients are computed (only for objects of class 'varest').
cumulative	Logical, if TRUE the cumulated impulse response coefficients are computed. The default value is false.
boot	Logical, if TRUE (the default) bootstrapped error bands for the impulse response coefficients are computed.
ci	Numeric, the confidence interval for the bootstrapped errors bands.
runs	An integer, specifying the runs for the bootstrap.
seed	An integer, specifying the seed for the rng of the bootstrap.
...	Currently not used.

Details

The impulse response coefficients of a VAR(p) for n.ahead steps are computed by utilising either the function `Phi()` or `Psi()`. If `boot = TRUE` (the default), confidence bands for a given width specified by `ci` are derived from runs bootstrap. Hereby, it is at the users leisure to set a seed for the random number generator.

The standard percentile interval is defined as:

$$CI_s = [s_{\alpha/2}^*, s_{1-\alpha/2}^*] \quad ,$$

with $s_{\alpha/2}^*$ and $s_{1-\alpha/2}^*$ are the $\alpha/2$ and $1 - \alpha/2$ quantiles of the bootstrap distribution of Ψ^* or Φ^* depending whether `ortho = TRUE`. In case `cumulative = TRUE`, the confidence bands are calculated from the cumulated impulse response coefficients.

Value

A list of class 'varirf' with the following elements is returned:

<code>irf</code>	A list with matrices for each of the impulse variables containing the impulse response coefficients.
<code>Lower</code>	If <code>boot = TRUE</code> , a list with matrices for each of the impulse variables containing the lower bands.
<code>Upper</code>	If <code>boot = TRUE</code> , a list with matrices for each of the impulse variables containing the upper bands.
<code>response</code>	Character vector holding the names of the response variables.
<code>impulse</code>	Character vector holding the names of the impulse variables.
<code>ortho</code>	Logical, if TRUE, orthogonalised impulse reponses have been computed.
<code>cumulative</code>	Logical, if TRUE, cumulated impulse reponses have been computed.
<code>runs</code>	An integer, specifying the number of bootstrap runs.
<code>ci</code>	Numeric, defining the confidence level.
<code>boot</code>	Logical, if TRUE bootstrapped error bands have been computed.
<code>model</code>	Character, containing 'class(x)'.

Author(s)

Bernhard Pfaff

References

- Efron, B. and R. J. Tibshirani (1993), *An Introduction to the Bootstrap*, Chapman and Hall, New York.
- Hamilton, J. (1994), *Time Series Analysis*, Princeton University Press, Princeton.
- Lütkepohl, H. (2006), *New Introduction to Multiple Time Series Analysis*, Springer, New York.

See Also

[VAR](#), [SVAR](#), [vec2var](#), [SVEC](#), [Phi](#), [Psi](#), [plot](#)

Examples

```
data(Canada)
## For VAR
var.2c <- VAR(Canada, p = 2, type = "const")
irf(var.2c, impulse = "e", response = c("prod", "rw", "U"), boot =
FALSE)
## For SVAR
amat <- diag(4)
diag(amat) <- NA
svar.a <- SVAR(var.2c, estmethod = "direct", Amat = amat)
irf(svar.a, impulse = "e", response = c("prod", "rw", "U"), boot =
FALSE)
```

logLik

Log-Likelihood method

Description

Returns the log-Likelihood of a VAR, level-VECM, SVAR or SVEC object.

Usage

```
## S3 method for class 'varest'
logLik(object, ...)
## S3 method for class 'vec2var'
logLik(object, ...)
## S3 method for class 'svarest'
logLik(object, ...)
## S3 method for class 'svecest'
logLik(object, ...)
```

Arguments

object	An object of class 'varest', generated by VAR(); or an object of class 'vec2var', generated by vec2var(); or an object of class 'svarest', generated by either SVAR() or an object of class 'svecest', generated by SVEC().
...	Currently not used.

Details

The log-likelihood of a VAR or level-VECM model is defined as:

$$\log l = -\frac{KT}{2} \log 2\pi - \frac{T}{2} \log |\Sigma_u| - \frac{1}{2} \text{tr}(U \Sigma_u^{-1} U')$$

and for a SVAR / SVEC model the log-likelihood takes the form of:

$$\log l = -\frac{KT}{2} \log 2\pi + \frac{T}{2} \log |A|^2 - \frac{T}{2} \log |B|^2 - \frac{T}{2} \text{tr}(A' B'^{-1} B^{-1} A \Sigma_u)$$

Value

An object with class attribute logLik.

Author(s)

Bernhard Pfaff

References

Hamilton, J. (1994), *Time Series Analysis*, Princeton University Press, Princeton.
 Lütkepohl, H. (2006), *New Introduction to Multiple Time Series Analysis*, Springer, New York.

See Also

[VAR](#), [vec2var](#), [SVAR](#), [SVEC](#)

Examples

```
data(Canada)
var.2c <- VAR(Canada, p = 2, type = "const")
logLik(var.2c)
```

normality.test	<i>Normality, multivariate skewness and kurtosis test</i>
----------------	---

Description

This function computes univariate and multivariate Jarque-Bera tests and multivariate skewness and kurtosis tests for the residuals of a VAR(p) or of a VECM in levels.

Usage

```
normality.test(x, multivariate.only = TRUE)
```

Arguments

x Object of class 'varest'; generated by VAR(), or an object of class 'vec2var'; generated by vec2var().

multivariate.only If TRUE (the default), only multivariate test statistics are computed.

Details

Multivariate and univariate versions of the Jarque-Bera test are applied to the residuals of a VAR. The multivariate version of this test is computed by using the residuals that are standardized by a Choleski decomposition of the variance-covariance matrix for the centered residuals. Please note, that in this case the test result is dependant upon the ordering of the variables.

Value

A list of class ‘varcheck’ with the following elements is returned:

<code>resid</code>	A matrix of the residuals.
<code>jb.uni</code>	A list of elements with class attribute ‘htest’ containing the univariate Jarque-Bera tests. This element is only returned if <code>multivariate.only = FALSE</code> is set.
<code>jb.mul</code>	A list of elements with class attribute ‘htest’.

containing the multivariate Jarque-Bera test, the multivariate Skewness and Kurtosis tests.

Note

This function was named `normality` in earlier versions of package **vars**; it is now deprecated. See [vars-deprecated](#) too.

Author(s)

Bernhard Pfaff

References

Hamilton, J. (1994), *Time Series Analysis*, Princeton University Press, Princeton.

Jarque, C. M. and A. K. Bera (1987), A test for normality of observations and regression residuals, *International Statistical Review*, **55**: 163-172.

Lütkepohl, H. (2006), *New Introduction to Multiple Time Series Analysis*, Springer, New York.

See Also

[VAR](#), [vec2var](#), [plot](#)

Examples

```
data(Canada)
var.2c <- VAR(Canada, p = 2, type = "const")
normality.test(var.2c)
```

Phi

Coefficient matrices of the MA representation

Description

Returns the estimated coefficient matrices of the moving average representation of a stable VAR(p), of an SVAR as an array or a converted VECM to VAR.

Usage

```
## S3 method for class 'varest'
Phi(x, nstep=10, ...)
## S3 method for class 'svarest'
Phi(x, nstep=10, ...)
## S3 method for class 'svecest'
Phi(x, nstep=10, ...)
## S3 method for class 'vec2var'
Phi(x, nstep=10, ...)
```

Arguments

<code>x</code>	An object of class ‘varest’, generated by VAR(), or an object of class ‘svarest’, generated by SVAR(), or an object of class ‘svecest’, generated by SVEC(), or an object of class ‘vec2var’, generated by vec2var().
<code>nstep</code>	An integer specifying the number of moving error coefficient matrices to be calculated.
<code>...</code>	Currently not used.

Details

If the process \mathbf{y}_t is stationary (*i.e.* $I(0)$), it has a Wold moving average representation in the form of:

$$\mathbf{y}_t = \Phi_0 \mathbf{u}_t + \Phi_1 \mathbf{u}_{t-1} + \Phi_2 \mathbf{u}_{t-2} + \dots,$$

whith $\Phi_0 = I_k$ and the matrices Φ_s can be computed recursively according to:

$$\Phi_s = \sum_{j=1}^s \Phi_{s-j} A_j \quad s = 1, 2, \dots,$$

whereby A_j are set to zero for $j > p$. The matrix elements represent the impulse responses of the components of \mathbf{y}_t with respect to the shocks \mathbf{u}_t . More precisely, the (i, j) th element of the matrix Φ_s mirrors the expected response of $y_{i,t+s}$ to a unit change of the variable y_{jt} .

In case of a SVAR, the impulse response matrices are given by:

$$\Theta_i = \Phi_i A^{-1} B \quad .$$

Albeit the fact, that the Wold decomposition does not exist for nonstationary processes, it is however still possible to compute the Φ_i matrices likewise with integrated variables or for the level version of a VECM. However, a convergence to zero of Φ_i as i tends to infinity is not ensured; hence some shocks may have a permanent effect.

Value

An array with dimension $(K \times K \times nstep + 1)$ holding the estimated coefficients of the moving average representation.

Note

The first returned array element is the starting value, *i.e.*, Φ_0 .

Author(s)

Bernhard Pfaff

References

Hamilton, J. (1994), *Time Series Analysis*, Princeton University Press, Princeton.
 Lütkepohl, H. (2006), *New Introduction to Multiple Time Series Analysis*, Springer, New York.

See Also

[Psi](#), [VAR](#), [SVAR](#), [vec2var](#), [SVEC](#)

Examples

```
data(Canada)
var.2c <- VAR(Canada, p = 2, type = "const")
Phi(var.2c, nstep=4)
```

plot

Plot methods for objects in vars

Description

Plot method for objects with class attribute varest, vec2var, varcheck, varfevd, varirf, varprd, varstabil.

Usage

```
## S3 method for class 'varcheck'
plot(x, names = NULL, main.resid = NULL, main.hist =
NULL, main.acf = NULL, main.pacf = NULL, main.acf2 = NULL, main.pacf2 =
NULL, ylim.resid = NULL, ylim.hist = NULL, ylab.resid = NULL, xlab.resid
= NULL, xlab.acf = NULL, lty.resid = NULL, lwd.resid = NULL, col.resid =
NULL, col.edf = NULL, lag.acf = NULL, lag.pacf = NULL, lag.acf2 = NULL,
lag.pacf2 = NULL, mar = par("mar"), oma = par("oma"), ...)
## S3 method for class 'varest'
plot(x, names = NULL, main.fit = NULL, main.acf = NULL,
main.pacf = NULL, ylim.fit = NULL, ylim.resid = NULL, lty.fit = NULL,
lty.resid = NULL, lwd.fit = NULL, lwd.resid = NULL, lag.acf = NULL,
lag.pacf = NULL, col.fit = NULL, col.resid = NULL, ylab.fit = NULL,
ylab.resid = NULL, ylab.acf = NULL, ylab.pacf = NULL, xlab.fit = NULL,
xlab.resid = NULL, nc, mar = par("mar"), oma = par("oma"), adj.mtext =
NA, padj.mtext = NA, col.mtext = NA, ...)
## S3 method for class 'vec2var'
plot(x, ...)
## S3 method for class 'varfevd'
plot(x, plot.type = c("multiple", "single"),
```

```

names = NULL, main = NULL, col = NULL, ylim = NULL, ylab = NULL,
xlab = NULL, legend = NULL, names.arg = NULL, nc,
mar = par("mar"), oma = par("oma"), addbars = 1, ...)
## S3 method for class 'varirf'
plot(x, plot.type = c("multiple", "single"), names =
NULL, main = NULL, sub = NULL, lty = NULL, lwd = NULL, col = NULL, ylim
= NULL, ylab = NULL, xlab = NULL, nc, mar.multi = c(0, 4, 0, 4),
oma.multi = c(6, 4, 6, 4), adj.mtext = NA, padj.mtext = NA, col.mtext =
NA, ...)
## S3 method for class 'varprd'
plot(x, plot.type = c("multiple", "single"),
names = NULL, main = NULL, col = NULL, lty = NULL, lwd = NULL,
ylim = NULL, ylab = NULL, xlab = NULL, nc, mar = par("mar"),
oma = par("oma"), ...)
## S3 method for class 'varstabil'
plot(x, plot.type = c("multiple", "single"), names =
NULL, main = NULL, nc, mar = par("mar"), oma = par("oma"), ...)

```

Arguments

addbars	Integer, number of empty bars in barplot to reserve space for legend. If set to zero, no legend will be returned.
adj.mtext	Adjustment for mtext(), only applicable if plot.type = "multiple".
col	Character vector, colors to use in plot.
col.edf	Character, color of residuals' EDF.
col.fit	Character vector, colors for diagram of fit.
col.mtext	Character, color for mtext(), only applicable if plot.type = "multiple".
col.resid	Character vector, colors for residual plot.
lag.acf	Integer, lag.max for ACF of residuals.
lag.acf2	Integer, lag.max for ACF of squared residuals.
lag.pacf	Integer, lag.max for PACF of residuals.
lag.pacf2	Integer, lag.max for PACF of squared residuals.
legend	Character vector of names in legend.
lty	Integer/Character, the line types.
lty.fit	Vector, lty for diagram of fit.
lty.resid	Vector, lty for residual plot.
lwd	The width of the lines.
lwd.fit	Vector, lwd for diagram of fit.
lwd.resid	Vector, lwd for residual plot.
main	Character vector, the titles of the plot.
main.acf	Character vector, main for residuals' ACF.
main.acf2	Character vector, main for squared residuals' ACF.

<code>main.fit</code>	Character vector, main for diagram of fit.
<code>main.hist</code>	Character vector, main for histogram of residuals.
<code>main.pacf</code>	Character vector, main for residuals' PACF.
<code>main.pacf2</code>	Character vector, main for squared residuals' PACF.
<code>main.resid</code>	Character vector, main for residual plot.
<code>mar</code>	Setting of margins.
<code>mar.multi</code>	Setting of margins, if <code>plot.type = "multiple"</code> .
<code>names</code>	Character vector, the variables names to be plotted. If left NULL, all variables are plotted.
<code>names.arg</code>	Character vector, names for x-axis of barplot.
<code>nc</code>	Integer, number of columns for multiple plot.
<code>oma</code>	Setting of outer margins.
<code>oma.multi</code>	Setting of margins, if <code>plot.type = "multiple"</code> .
<code>adj.mtext</code>	Adjustment for <code>mtext()</code> , only applicable if <code>plot.type = "multiple"</code> .
<code>plot.type</code>	Character, if <code>multiple</code> all plots are drawn in a single device, otherwise the plots are shown consecutively.
<code>sub</code>	Character, sub title in plot.
<code>x</code>	An object of one of the above classes.
<code>xlab</code>	Character vector signifying the labels for the x-axis.
<code>xlab.acf</code>	Character, xlab for ACF and PACF of residuals and their squares in <code>plot.varcheck</code> .
<code>xlab.fit</code>	Character vector, xlab for diagram of fit.
<code>xlab.resid</code>	Character vector, xlab for residual plot.
<code>ylab</code>	Character vector signifying the labels for the y-axis.
<code>ylab.acf</code>	Character, ylab for ACF.
<code>ylab.fit</code>	Character vector, ylab for diagram of fit.
<code>ylab.pacf</code>	Character, ylab for PACF
<code>ylab.resid</code>	Character vector, ylab for residual plot.
<code>ylim</code>	Vector, the limits of the y-axis.
<code>ylim.fit</code>	Vector, ylim for diagram of fit.
<code>ylim.hist</code>	Vector, ylim for histogram of residuals.
<code>ylim.resid</code>	Vector, ylim for residual plot.
<code>...</code>	Passed to internal plot function.

Details

The `plot`-method for objects with class attribute `vec2var` is the same as for objects with class attribute `varest`. Hence, the same arguments can be utilised.

Author(s)

Bernhard Pfaff

References

- Hamilton, J. (1994), *Time Series Analysis*, Princeton University Press, Princeton.
- Lütkepohl, H. (2006), *New Introduction to Multiple Time Series Analysis*, Springer, New York.
- Zeileis, A., F. Leisch, K. Hornik and C. Kleiber (2002), strucchange: An R Package for Testing for Structural Change in Linear Regression Models, *Journal of Statistical Software*, **7(2)**: 1-38, <https://www.jstatsoft.org/v07/i02/>

See Also

[VAR](#), [vec2var](#), [fevd](#), [irf](#), [predict](#), [fanchart](#), [stability](#), [arch.test](#), [normality.test](#), [serial.test](#)

Examples

```
## Not run:
data(Canada)
var.2c <- VAR(Canada, p = 2, type = "const")
plot(var.2c)
## Diagnostic Testing
## ARCH test
archtest <- arch.test(var.2c)
plot(archtest)
## Normality test
normalitytest <- normality.test(var.2c)
plot(normalitytest)
## serial correlation test
serialtest <- serial.test(var.2c)
plot(serialtest)
## FEVD
var.2c.fevd <- fevd(var.2c, n.ahead = 5)
plot(var.2c.fevd)
## IRF
var.2c.irf <- irf(var.2c, impulse = "e",
response = c("prod", "rw", "U"), boot = FALSE)
plot(var.2c.irf)
## Prediction
var.2c.prd <- predict(var.2c, n.ahead = 8, ci = 0.95)
plot(var.2c.prd)
## Stability
var.2c.stabil <- stability(var.2c, type = "Rec-CUSUM")
plot(var.2c.stabil)

## End(Not run)
```

predict

Predict method for objects of class varest and vec2var

Description

Forecasting a VAR object of class ‘varest’ or of class ‘vec2var’ with confidence bands.

Usage

```
## S3 method for class 'varest'
predict(object, ..., n.ahead = 10, ci = 0.95, dumvar = NULL)
## S3 method for class 'vec2var'
predict(object, ..., n.ahead = 10, ci = 0.95, dumvar = NULL)
```

Arguments

object	An object of class ‘varest’; generated by VAR(), or an object of class ‘vec2var’; generated by vec2var().
n.ahead	An integer specifying the number of forecast steps.
ci	The forecast confidence interval
dumvar	Matrix for objects of class ‘vec2var’ or ‘varest’, if the dumvar argument in ca.jo() has been used or if the exogen argument in VAR() has been used, respectively. The matrix should have the same column dimension as in the call to ca.jo() or to VAR() and row dimension equal to n.ahead.
...	Currently not used.

Details

The n.ahead forecasts are computed recursively for the estimated VAR, beginning with $h = 1, 2, \dots, n.ahead$:

$$\mathbf{y}_{T+1|T} = A_1 \mathbf{y}_T + \dots + A_p \mathbf{y}_{T+1-p} + CD_{T+1}$$

The variance-covariance matrix of the forecast errors is a function of Σ_u and Φ_s .

Value

A list with class attribute ‘varprd’ holding the following elements:

fcst	A list of matrices per endogenous variable containing the forecasted values with lower and upper bounds as well as the confidence interval.
endog	Matrix of the in-sample endogenous variables.
model	The estimated VAR object.
exo.fcst	If applicable provided values of exogenous variables, otherwise NULL.

Author(s)

Bernhard Pfaff

References

- Hamilton, J. (1994), *Time Series Analysis*, Princeton University Press, Princeton.
- Lütkepohl, H. (2006), *New Introduction to Multiple Time Series Analysis*, Springer, New York.

See Also

[VAR](#), [vec2var](#), [plot](#), [fanchart](#)

Examples

```
data(Canada)
var.2c <- VAR(Canada, p = 2, type = "const")
predict(var.2c, n.ahead = 8, ci = 0.95)
```

Psi

Coefficient matrices of the orthogonalised MA representation

Description

Returns the estimated orthogonalised coefficient matrices of the moving average representation of a stable VAR(p) as an array.

Usage

```
## S3 method for class 'varest'
Psi(x, nstep=10, ...)
## S3 method for class 'vec2var'
Psi(x, nstep=10, ...)
```

Arguments

x	An object of class ‘varest’, generated by VAR(), or an object of class ‘vec2var’, generated by vec2var().
nstep	An integer specifying the number of othogonalised moving error coefficient matrices to be calculated.
...	Dots currently not used.

Details

In case that the components of the error process are instantaneously correlated with each other, that is: the off-diagonal elements of the variance-covariance matrix Σ_u are not null, the impulses measured by the Φ_s matrices, would also reflect disturbances from the other variables. Therefore, in practice a Choleski decomposition has been propagated by considering $\Sigma_u = PP'$ and the orthogonalised shocks $\epsilon_t = P^{-1}u_t$. The moving average representation is then in the form of:

$$y_t = \Psi_0 \epsilon_t + \Psi_1 \epsilon_{t-1} + \Psi_2 \epsilon_{t-2} + \dots,$$

whith $\Psi_0 = P$ and the matrices Ψ_s are computed as $\Psi_s = \Phi_s P$ for $s = 1, 2, 3, \dots$

Value

An array with dimension $(K \times K \times nstep + 1)$ holding the estimated orthogonalised coefficients of the moving average representation.

Note

The first returned array element is the starting value, *i.e.*, Ψ_0 . Due to the utilisation of the Choleski decomposition, the impulse are now dependent on the ordering of the vector elements in y_t .

Author(s)

Bernhard Pfaff

References

Hamilton, J. (1994), *Time Series Analysis*, Princeton University Press, Princeton.
 Lütkepohl, H. (2006), *New Introduction to Multiple Time Series Analysis*, Springer, New York.

See Also

[Phi](#), [VAR](#), [SVAR](#), [vec2var](#)

Examples

```
data(Canada)
var.2c <- VAR(Canada, p = 2, type = "const")
Psi(var.2c, nstep=4)
```

residuals

Residuals method for objects of class varest and vec2var

Description

Returns the residuals of a VAR(p)-model or for a VECM in levels. For the former class the residuals-method is applied to the list element `varresult`, which is itself a list of `lm`-objects.

Usage

```
## S3 method for class 'varest'
residuals(object, ...)
## S3 method for class 'vec2var'
residuals(object, ...)
```

Arguments

<code>object</code>	An object of class ‘varest’; generated by <code>VAR()</code> , or an object of class ‘vec2var’; generated by <code>vec2var()</code>
<code>...</code>	Currently not used.

Author(s)

Bernhard Pfaff

References

- Hamilton, J. (1994), *Time Series Analysis*, Princeton University Press, Princeton.
- Lütkepohl, H. (2006), *New Introduction to Multiple Time Series Analysis*, Springer, New York.

See Also

[VAR](#), [vec2var](#)

Examples

```
## Not run:
data(Canada)
var.2c <- VAR(Canada, p = 2, type = "const")
resid(var.2c)

## End(Not run)
```

restrict	<i>Restricted VAR</i>
----------	-----------------------

Description

Estimation of a VAR, by imposing zero restrictions manually or by significance.

Usage

```
restrict(x, method = c("ser", "manual"), thresh = 2.0, resmat = NULL)
```

Arguments

x	An object of class ‘varest’ generated by VAR().
method	A character, choosing the method
thresh	If method ser: the threshold value for the t-statistics.
resmat	If method manual: The restriction matrix.

Details

Given an estimated VAR object of class ‘varest’, a restricted VAR can be obtained by either choosing method `ser` or `manual`. In the former case, each equation is re-estimated separately as long as there are t-values that are in absolut value below the threshold value set by the function’s argument `thresh`. In the latter case, a restriction matrix has to be provided that consists of 0/1 values, thereby selecting the coefficients to be retained in the model.

Value

A list with class attribute 'varest' holding the following elements:

varresult	list of 'lm' objects.
datamat	The data matrix of the endogenous and explanatory variables.
y	The data matrix of the endogenous variables
type	A character, specifying the deterministic regressors.
p	An integer specifying the lag order.
K	An integer specifying the dimension of the VAR.
obs	An integer specifying the number of used observations.
totobs	An integer specifying the total number of observations.
restrictions	The matrix object containing the zero restrictions provided as argument resmat.
call	The call to VAR().

Note

Currently, the restricted VAR is estimated by OLS and not by an efficient EGLS-method.

Author(s)

Bernhard Pfaff

References

- Hamilton, J. (1994), *Time Series Analysis*, Princeton University Press, Princeton.
- Lütkepohl, H. (2006), *New Introduction to Multiple Time Series Analysis*, Springer, New York.

See Also

[VAR](#)

Examples

```
data(Canada)
var.2c <- VAR(Canada, p = 2, type = "const")
## Restrictions determined by thresh
restrict(var.2c, method = "ser")
## Restrictions set manually
restrict <- matrix(c(1, 1, 1, 1, 1, 1, 0, 0, 0,
                    1, 0, 1, 0, 0, 1, 0, 1, 1,
                    0, 0, 1, 1, 0, 1, 0, 0, 1,
                    1, 1, 1, 0, 1, 1, 0, 1, 0),
                  nrow=4, ncol=9, byrow=TRUE)
restrict(var.2c, method = "man", resmat = restrict)
```

roots	<i>Eigenvalues of the companion coefficient matrix of a VAR(p)-process</i>
-------	--

Description

Returns a vector of the eigenvalues of the companion coefficient matrix.

Usage

```
roots(x, modulus = TRUE)
```

Arguments

x	An object of class ‘varest’, generated by VAR().
modulus	Logical, set to TRUE for returning the modulus.

Details

Any VAR(p)-process can be written in a first-order vector autoregressive form: the companion form. A VAR(p)-process is stable, if its reverse characteristic polynomial:

$$\det(I_K - A_1 z - \dots - A_p z^p) \neq 0 \text{ for } |z| \leq 1,$$

has no roots in or on the complex circle. This is equivalent to the condition that all eigenvalues of the companion matrix A have modulus less than 1. The function `roots()`, does compute the eigen values of the companion matrix A and returns by default their moduli.

Value

A vector object with the eigen values of the companion matrix, or their moduli (default).

Author(s)

Bernhard Pfaff

References

Hamilton, J. (1994), *Time Series Analysis*, Princeton University Press, Princeton.
 Lütkepohl, H. (2006), *New Introduction to Multiple Time Series Analysis*, Springer, New York.

See Also

[VAR](#)

Examples

```
data(Canada)
var.2c <- VAR(Canada, p = 2, type = "const")
roots(var.2c)
```

serial.test	<i>Test for serially correlated errors</i>
-------------	--

Description

This function computes the multivariate Portmanteau- and Breusch-Godfrey test for serially correlated errors.

Usage

```
serial.test(x, lags.pt = 16, lags.bg = 5, type = c("PT.asymptotic",
"PT.adjusted", "BG", "ES") )
```

Arguments

x	Object of class ‘varest’; generated by VAR(), or an object of class ‘vec2var’; generated by vec2var().
lags.pt	An integer specifying the lags to be used for the Portmanteau statistic.
lags.bg	An integer specifying the lags to be used for the Breusch-Godfrey statistic.
type	Character, the type of test. The default is an asymptotic Portmanteau test.

Details

The Portmanteau statistic for testing the absence of up to the order h serially correlated disturbances in a stable VAR(p) is defined as:

$$Q_h = T \sum_{j=1}^h \text{tr}(\hat{C}_j' \hat{C}_0^{-1} \hat{C}_j \hat{C}_0^{-1}) \quad ,$$

where $\hat{C}_i = \frac{1}{T} \sum_{t=i+1}^T \hat{\mathbf{u}}_t \hat{\mathbf{u}}_{t-i}'$. The test statistic is approximately distributed as $\chi^2(K^2(h-p))$. This test statistic is chosen by setting `type = "PT.asymptotic"`. For smaller sample sizes and/or values of h that are not sufficiently large, a corrected test statistic is computed as:

$$Q_h^* = T^2 \sum_{j=1}^h \frac{1}{T-j} \text{tr}(\hat{C}_j' \hat{C}_0^{-1} \hat{C}_j \hat{C}_0^{-1}) \quad ,$$

This test statistic can be accessed, if `type = "PT.adjusted"` is set.

The Breusch-Godfrey LM-statistic is based upon the following auxiliary regressions:

$$\hat{\mathbf{u}}_t = A_1 \mathbf{y}_{t-1} + \dots + A_p \mathbf{y}_{t-p} + C D_t + B_1 \hat{\mathbf{u}}_{t-1} + \dots + B_h \hat{\mathbf{u}}_{t-h} + \varepsilon_t$$

The null hypothesis is: $H_0 : B_1 = \dots = B_h = 0$ and correspondingly the alternative hypothesis is of the form $H_1 : \exists B_i \neq 0$ for $i = 1, 2, \dots, h$. The test statistic is defined as:

$$LM_h = T(K - \text{tr}(\tilde{\Sigma}_R^{-1} \tilde{\Sigma}_e)) \quad ,$$

where $\tilde{\Sigma}_R$ and $\tilde{\Sigma}_e$ assign the residual covariance matrix of the restricted and unrestricted model, respectively. The test statistic LM_h is distributed as $\chi^2(hK^2)$. This test statistic is calculated if type = "BG" is used.

Edgerton and Shukur (1999) proposed a small sample correction, which is defined as:

$$LMF_h = \frac{1 - (1 - R_r^2)^{1/r}}{(1 - R_r^2)^{1/r}} \frac{Nr - q}{Km},$$

with $R_r^2 = 1 - |\tilde{\Sigma}_e|/|\tilde{\Sigma}_R|$, $r = ((K^2m^2 - 4)/(K^2 + m^2 - 5))^{1/2}$, $q = 1/2Km - 1$ and $N = T - K - m - 1/2(K - m + 1)$, whereby n is the number of regressors in the original system and $m = Kh$. The modified test statistic is distributed as $F(hK^2, \text{int}(Nr - q))$. This modified statistic will be returned, if type = "ES" is provided in the call to `serial()`.

Value

A list with class attribute 'varcheck' holding the following elements:

resid	A matrix with the residuals of the VAR.
pt.mul	A list with objects of class attribute 'htest' containing the multivariate Portmanteau-statistic (asymptotic and adjusted).
LMh	An object with class attribute 'htest' containing the Breusch-Godfrey LM-statistic.
LMFh	An object with class attribute 'htest' containing the Edgerton-Shukur F-statistic.

Note

This function was named `serial` in earlier versions of package **vars**; it is now deprecated. See [vars-deprecated](#) too.

Author(s)

Bernhard Pfaff

References

- Breusch, T. S. (1978), Testing for autocorrelation in dynamic linear models, *Australian Economic Papers*, **17**: 334-355.
- Edgerton, D. and Shukur, G. (1999), Testing autocorrelation in a system perspective, *Econometric Reviews*, **18**: 43-386.
- Godfrey, L. G. (1978), Testing for higher order serial correlation in regression equations when the regressors include lagged dependent variables, *Econometrica*, **46**: 1303-1313.
- Hamilton, J. (1994), *Time Series Analysis*, Princeton University Press, Princeton.
- Lütkepohl, H. (2006), *New Introduction to Multiple Time Series Analysis*, Springer, New York.

See Also[VAR](#), [vec2var](#), [plot](#)**Examples**

```
data(Canada)
var.2c <- VAR(Canada, p = 2, type = "const")
serial.test(var.2c, lags.pt = 16, type = "PT.adjusted")
```

stability

*Structural stability of a VAR(p)***Description**

Computes an empirical fluctuation process according to a specified method from the generalised fluctuation test framework. The test utilises the function `efp()` and its methods from package ‘strucchange’.

Usage

```
## Default S3 method:
stability(x, type = c("OLS-CUSUM", "Rec-CUSUM",
  "Rec-MOSUM", "OLS-MOSUM", "RE", "ME", "Score-CUSUM", "Score-MOSUM",
  "fluctuation"), h = 0.15, dynamic = FALSE, rescale = TRUE, ...)
## S3 method for class 'varest'
stability(x, type = c("OLS-CUSUM", "Rec-CUSUM",
  "Rec-MOSUM", "OLS-MOSUM", "RE", "ME", "Score-CUSUM", "Score-MOSUM",
  "fluctuation"), h = 0.15, dynamic = FALSE, rescale = TRUE, ...)
```

Arguments

<code>x</code>	Object of class ‘varest’; generated by <code>VAR()</code> .
<code>type</code>	Specifies which type of fluctuation process will be computed, the default is ‘OLS-CUSUM’. For details see: efp .
<code>h</code>	A numeric from interval (0,1) specifying the bandwidth. Determines the size of the data window relative to sample size (for ‘MOSUM’ and ‘ME’ processes only).
<code>dynamic</code>	Logical. If ‘TRUE’ the lagged observations are included as a regressor.
<code>rescale</code>	Logical. If ‘TRUE’ the estimates will be standardized by the regressor matrix of the corresponding subsample; if ‘FALSE’ the whole regressor matrix will be used. (only if ‘type’ is either ‘RE’ or ‘E’).
<code>...</code>	Ellipsis, is passed to <code>strucchange::sctest()</code> , as default.

Details

For details, please refer to documentation [efp](#).

Value

A list with class attribute 'varstabil' holding the following elements:

stability	A list with objects of class 'efp'; length is equal to the dimension of the VAR.
names	Character vector containing the names of the endogenous variables.
K	An integer of the VAR dimension.

Author(s)

Bernhard Pfaff

References

Zeileis, A., F. Leisch, K. Hornik and C. Kleiber (2002), strucchange: An R Package for Testing for Structural Change in Linear Regression Models, *Journal of Statistical Software*, **7(2)**: 1-38, <https://www.jstatsoft.org/v07/i02/>

and see the references provided in the reference section of [efp](#), too.

See Also

[VAR](#), [plot](#), [efp](#)

Examples

```
data(Canada)
var.2c <- VAR(Canada, p = 2, type = "const")
var.2c.stabil <- stability(var.2c, type = "OLS-CUSUM")
var.2c.stabil
## Not run:
plot(var.2c.stabil)

## End(Not run)
```

summary

Summary method for objects of class varest, svarest and svecest

Description

'summary' methods for class '"varest"', '"svarest"' and '"svecest"'.

Usage

```
## S3 method for class 'varest'
summary(object, equations = NULL, ...)
## S3 method for class 'varsum'
print(x, digits = max(3, getOption("digits") - 3),
      signif.stars = getOption("show.signif.stars"), ...)
## S3 method for class 'svarest'
summary(object, ...)
## S3 method for class 'svarsum'
print(x, digits = max(3, getOption("digits") - 3), ...)
## S3 method for class 'svecest'
summary(object, ...)
## S3 method for class 'svecsum'
print(x, digits = max(3, getOption("digits") - 3), ...)
```

Arguments

object	Object of class ‘varest’, usually, a result of a call to VAR, or object of class ‘svarest’, usually, a result of a call to SVAR, or object of class ‘svecest’, usually, a result of a call to SVEC.
equations	Character vector of endogenous variable names for which summary results should be returned. The default is NULL and results are returned for all equations in the VAR.
x	Object with class attribute ‘varsum’, ‘svarsum’.
digits	the number of significant digits to use when printing.
signif.stars	logical. If ‘TRUE’, ‘significance stars’ are printed for each coefficient.
...	further arguments passed to or from other methods.

Value

Returns either a list with class attribute `varsum` which contains the following elements:

names	Character vector with the names of the endogenous correlation matrix of VAR residuals.
logLik	Numeric, value of log Likelihood.
obs	Integer, sample size.
roots	Vector, roots of the characteristic polynomial.
type	Character vector, deterministic regressors included in VAR:
call	Call, the initial call to VAR.

Or a list with class attribute `svarsum` which contains the following elements:

type	Character, the type of SVAR-model.
A	Matrix, estimated coefficients for A matrix.
B	Matrix, estimated coefficients for B matrix.

Ase	Matrix, standard errors for A matrix.
Bse	Matrix, standard errors for B matrix.
LRIM	Matrix, long-run impact coefficients for BQ.
Sigma.U	Matrix, variance/covariance of reduced form residuals.
logLik	Numeric, value of log-Likelihood.
LR	htest, LR result of over-identification test.
obs	Integer, number of observations used.
opt	List, result of optim().
iter	Integer, the count of iterations.
call	Call, the call to SVAR().

Or a list with class attribute svecsum which contains the following elements:

type	Character, the type of SVEC-model.
SR	Matrix, contemporaneous impact matrix.
LR	Matrix, long-run impact matrix.
SRse	Matrix, standard errors for SR matrix.
LRse	Matrix, standard errors for LR matrix.
Sigma.U	Matrix, variance/covariance of reduced form residuals.
logLik	Numeric, value of log-Likelihood.
LRover	htest, LR result of over-identification test.
obs	Integer, number of observations used.
r	Integer, co-integration rank of VECM.
iter	Integer, the count of iterations.
call	Call, the call to SVEC().

Author(s)

Bernhard Pfaff

See Also

[VAR](#), [SVAR](#), [SVEC](#)

Examples

```
data(Canada)
## summary-method for varest
var.2c <- VAR(Canada, p = 2 , type = "const")
summary(var.2c)
## summary-method for svarest
amat <- diag(4)
diag(amat) <- NA
amat[2, 1] <- NA
```

```

amat[4, 1] <- NA
## Estimation method scoring
svar.a <- SVAR(x = var.2c, estmethod = "scoring", Amat = amat, Bmat = NULL,
max.iter = 100, maxls = 1000, conv.crit = 1.0e-8)
summary(svar.a)
## summary-method for svecest
vecm <- ca.jo(Canada[, c("prod", "e", "U", "rw")], type = "trace",
              ecdet = "trend", K = 3, spec = "transitory")
SR <- matrix(NA, nrow = 4, ncol = 4)
SR[4, 2] <- 0
LR <- matrix(NA, nrow = 4, ncol = 4)
LR[1, 2:4] <- 0
LR[2:4, 4] <- 0
svec.b <- SVEC(vecm, LR = LR, SR = SR, r = 1, lrtest = FALSE, boot =
FALSE)
summary(svec.b)

```

SVAR

Estimation of a SVAR

Description

Estimates an SVAR (either ‘A-model’, ‘B-model’ or ‘AB-model’) by using a scoring algorithm or by directly minimising the negative log-likelihood with `optim()`.

Usage

```

SVAR(x, estmethod = c("scoring", "direct"), Amat = NULL, Bmat = NULL,
start = NULL, max.iter = 100, conv.crit = 0.1e-6, maxls = 1.0,
lrtest = TRUE, ...)
## S3 method for class 'svarest'
print(x, digits = max(3, getOption("digits") - 3), ...)

```

Arguments

<code>x</code>	Object of class ‘varest’; generated by <code>VAR()</code> .
<code>estmethod</code>	Character, either scoring for estimating the SVAR-model with the scoring algorithm (default), or directly minimizing the negative log-likelihood.
<code>start</code>	Vector with starting values for the parameters to be optimised.
<code>lrtest</code>	Logical, over-identification LR test, the result is set to NULL for just-identified system.
<code>max.iter</code>	Integer, maximum number of iteration (used if <code>estmethod = "scoring"</code>).
<code>conv.crit</code>	Real, convergence value of algorithm (used if <code>estmethod = "scoring"</code>).
<code>maxls</code>	Real, maximum movement of the parameters between two iterations of the scoring algorithm (used if <code>estmethod = "scoring"</code>).
<code>Amat</code>	Matrix with dimension $(K \times K)$ for A- or AB-model.

<code>Bmat</code>	Matrix with dimension $(K \times K)$ for B- or AB-model.
<code>digits</code>	the number of significant digits to use when printing.
<code>...</code>	further arguments passed to or from other methods.

Details

Consider the following structural form of a k-dimensional vector autoregressive model:

$$A\mathbf{y}_t = A_1^*\mathbf{y}_{t-1} + \dots + A_p^*\mathbf{y}_{t-p} + C^*D_t + B\boldsymbol{\varepsilon}_t$$

The coefficient matrices $(A_1^* | \dots | A_p^* | C^*)$ might now differ from the ones of a VAR (see ?VAR). One can now impose restrictions on ‘A’ and/or ‘B’, resulting in an ‘A-model’ or ‘B-model’ or if the restrictions are placed on both matrices, an ‘AB-model’. In case of a SVAR ‘A-model’, $B = I_K$ and conversely for a SVAR ‘B-model’. Please note that for either an ‘A-model’ or ‘B-model’, $K(K-1)/2$ restrictions have to be imposed, such that the models’ coefficients are identified. For an ‘AB-model’ the number of restrictions amounts to: $K^2 + K(K-1)/2$.

For an ‘A-model’ a $(K \times K)$ matrix has to be provided for the functional argument ‘Amat’ and the functional argument ‘Bmat’ must be set to ‘NULL’ (the default). Hereby, the to be estimated elements of ‘Amat’ have to be set as ‘NA’. Conversely, for a ‘B-model’ a matrix object with dimension $(K \times K)$ with elements set to ‘NA’ at the positions of the to be estimated parameters has to be provided and the functional argument ‘Amat’ is ‘NULL’ (the default). Finally, for an ‘AB-model’ both arguments, ‘Amat’ and ‘Bmat’, have to be set as matrix objects containing desired restrictions and ‘NA’ values. The parameters are estimated by minimising the negative of the concentrated log-likelihood function:

$$\ln L_c(A, B) = -\frac{KT}{2} \ln(2\pi) + \frac{T}{2} \ln |A|^2 - \frac{T}{2} \ln |B|^2 - \frac{T}{2} \text{tr}(A' B'^{-1} B^{-1} A \tilde{\Sigma}_u)$$

Two alternatives are implemented for this: a scoring algorithm or direct minimization with `optim()`. If the latter is chosen, the standard errors are returned if `SVAR()` is called with ‘hessian = TRUE’.

If ‘start’ is not set, then 0.1 is used as starting values for the unknown coefficients.

The reduced form residuals can be obtained from the above equation *via* the relation: $\mathbf{u}_t = A^{-1}B\boldsymbol{\varepsilon}_t$, with variance-covariance matrix $\Sigma_U = A^{-1}BB'A^{-1'}$.

Finally, in case of an overidentified SVAR, a likelihood ratio statistic is computed according to:

$$LR = T(\ln \det(\tilde{\Sigma}_u^r) - \ln \det(\tilde{\Sigma}_u)) \quad ,$$

with $\tilde{\Sigma}_u^r$ being the restricted variance-covariance matrix and $\tilde{\Sigma}_u$ being the variance covariance matrix of the reduced form residuals. The test statistic is distributed as $\chi^2(nr - 2K^2 - \frac{1}{2}K(K+1))$, where nr is equal to the number of restrictions.

Value

A list of class ‘svarest’ with the following elements is returned:

A	If A- or AB-model, the matrix of estimated coefficients.
Ase	The standard errors of ‘A’.
B	If A- or AB-model, the matrix of estimated coefficients.
Bse	The standard errors of ‘B’.
LRIM	For Blanchard-Quah estimation LRIM is the estimated long-run impact matrix; for all other SVAR models LRIM is NULL.
Sigma.U	The variance-covariance matrix of the reduced form residuals times 100, <i>i.e.</i> , $\Sigma_U = A^{-1}BB'A^{-1'} \times 100$.
LR	Object of class ‘htest’, holding the Likelihood ratio overidentification test.
opt	List object returned by <code>optim()</code> .
start	Vector of starting values.
type	SVAR-type, character, either ‘A-model’, ‘B-model’ or ‘AB-model’.
var	The ‘varest’ object ‘x’.
iter	Integer, the count of iterations.
call	The call to <code>SVAR()</code> .

Author(s)

Bernhard Pfaff

References

- Amisano, G. and C. Giannini (1997), *Topics in Structural VAR Econometrics*, 2nd edition, Springer, Berlin.
- Breitung, J., R. Brüggemann and H. Lütkepohl (2004), Structural vector autoregressive modeling and impulse responses, in H. Lütkepohl and M. Krätzig (editors), *Applied Time Series Econometrics*, Cambridge University Press, Cambridge.
- Hamilton, J. (1994), *Time Series Analysis*, Princeton University Press, Princeton.
- Lütkepohl, H. (2006), *New Introduction to Multiple Time Series Analysis*, Springer, New York.

See Also

[VAR](#), [SVEC](#), [logLik](#), [irf](#), [fevd](#)

Examples

```
data(Canada)
var.2c <- VAR(Canada, p = 2, type = "const")
amat <- diag(4)
diag(amat) <- NA
amat[2, 1] <- NA
amat[4, 1] <- NA
## Estimation method scoring
SVAR(x = var.2c, estmethod = "scoring", Amat = amat, Bmat = NULL,
max.iter = 100, maxls = 1000, conv.crit = 1.0e-8)
## Estimation method direct
SVAR(x = var.2c, estmethod = "direct", Amat = amat, Bmat = NULL,
hessian = TRUE, method="BFGS")
```

SVEC

Estimation of a SVEC

Description

Estimates an SVEC by utilising a scoring algorithm.

Usage

```
SVEC(x, LR = NULL, SR = NULL, r = 1, start = NULL, max.iter = 100,
conv.crit = 1e-07, maxls = 1.0, lrtest = TRUE, boot = FALSE, runs = 100)
## S3 method for class 'svecest'
print(x, digits = max(3, getOption("digits") - 3), ...)
```

Arguments

<code>x</code>	Object of class 'ca.jo'; generated by <code>ca.jo()</code> contained in <code>urca</code> .
<code>LR</code>	Matrix of the restricted long run impact matrix.
<code>SR</code>	Matrix of the restricted contemporaneous impact matrix.
<code>r</code>	Integer, the cointegration rank of <code>x</code> .
<code>start</code>	Vector of starting values for γ .
<code>max.iter</code>	Integer, maximum number of iteration.
<code>conv.crit</code>	Real, convergence value of algorithm..
<code>maxls</code>	Real, maximum movement of the parameters between two iterations of the scoring algorithm.
<code>lrtest</code>	Logical, over-identification LR test, the result is set to NULL for just-identified system.
<code>boot</code>	Logical, if TRUE, standard errors of the parameters are computed by bootstrapping. Default is FALSE.
<code>runs</code>	Integer, number of bootstrap replications.
<code>digits</code>	the number of significant digits to use when printing.
<code>...</code>	further arguments passed to or from other methods.

Details

Consider the following reduced form of a k-dimensional vector error correction model:

$$A\Delta\mathbf{y}_t = \Pi\mathbf{y}_{t-1} + \Gamma_1\Delta\mathbf{y}_{t-1} + \dots + \Gamma_p\Delta\mathbf{y}_{t-p+1} + \mathbf{u}_t \quad .$$

This VECM has the following MA representation:

$$\mathbf{y}_t = \Xi \sum_{i=1}^t \mathbf{u}_i + \Xi^*(L)\mathbf{u}_t + \mathbf{y}_0^* \quad ,$$

with $\Xi = \beta_{\perp}(\alpha'_{\perp}(I_K - \sum_{i=1}^{p-1} \Gamma_i)\beta_{\perp})^{-1}\alpha'_{\perp}$ and $\Xi^*(L)$ signifies an infinite-order polynomial in the lag operator with coefficient matrices Ξ_j^* that tends to zero with increasing size of j .

Contemporaneous restrictions on the impact matrix B must be supplied as zero entries in SR and free parameters as NA entries. Restrictions on the long run impact matrix ΞB have to be supplied likewise. The unknown parameters are estimated by maximising the concentrated log-likelihood subject to the imposed restrictions by utilising a scoring algorithm on:

$$\ln L_c(A, B) = -\frac{KT}{2} \ln(2\pi) + \frac{T}{2} \ln |A|^2 - \frac{T}{2} \ln |B|^2 - \frac{T}{2} \text{tr}(A' B'^{-1} B^{-1} A \tilde{\Sigma}_u)$$

with $\tilde{\Sigma}_u$ signifies the reduced form variance-covariance matrix and A is set equal to the identity matrix I_K .

If ‘start’ is not set, then normal random numbers are used as starting values for the unknown coefficients. In case of an overidentified SVEC, a likelihood ratio statistic is computed according to:

$$LR = T(\ln \det(\tilde{\Sigma}_u^r) - \ln \det(\tilde{\Sigma}_u)) \quad ,$$

with $\tilde{\Sigma}_u^r$ being the restricted variance-covariance matrix and $\tilde{\Sigma}_u$ being the variance covariance matrix of the reduced form residuals. The test statistic is distributed as $\chi^2(K * (K + 1)/2 - nr)$, where nr is equal to the number of restrictions.

Value

A list of class ‘svecest’ with the following elements is returned:

SR	The estimated contemporaneous impact matrix.
SRse	The standard errors of the contemporaneous impact matrix, if boot = TRUE.
LR	The estimated long run impact matrix.
LRse	The standard errors of the long run impact matrix, if boot = TRUE.
Sigma.U	The variance-covariance matrix of the reduced form residuals times 100, <i>i.e.</i> , $\Sigma_U = A^{-1} B B' A^{-1'} \times 100$.
Restrictions	Vector, containing the ranks of the restricted long run and contemporaneous impact matrices.

L Rover	Object of class 'htest', holding the Likelihood ratio overidentification test.
start	Vector of used starting values.
type	Character, type of the SVEC-model.
var	The 'ca.jo' object 'x'.
LRorig	The supplied long run impact matrix.
SRorig	The supplied contemporaneous impact matrix.
r	Integer, the supplied cointegration rank.
iter	Integer, the count of iterations.
call	The call to SVEC().

Author(s)

Bernhard Pfaff

References

- Amisano, G. and C. Giannini (1997), *Topics in Structural VAR Econometrics*, 2nd edition, Springer, Berlin.
- Breitung, J., R. Brüggemann and H. Lütkepohl (2004), Structural vector autoregressive modeling and impulse responses, in H. Lütkepohl and M. Krätzig (editors), *Applied Time Series Econometrics*, Cambridge University Press, Cambridge.
- Hamilton, J. (1994), *Time Series Analysis*, Princeton University Press, Princeton.
- Lütkepohl, H. (2006), *New Introduction to Multiple Time Series Analysis*, Springer, New York.

See Also

[SVAR](#), [irf](#), [fevd](#)

Examples

```
data(Canada)
vecm <- ca.jo(Canada[, c("prod", "e", "U", "rw")], type = "trace",
              ecdet = "trend", K = 3, spec = "transitory")
SR <- matrix(NA, nrow = 4, ncol = 4)
SR[4, 2] <- 0
LR <- matrix(NA, nrow = 4, ncol = 4)
LR[1, 2:4] <- 0
LR[2:4, 4] <- 0
SVEC(vecm, LR = LR, SR = SR, r = 1, lrtest = FALSE, boot = FALSE)
```

VAR

*Estimation of a VAR(p)***Description**

Estimation of a VAR by utilising OLS per equation.

Usage

```
VAR(y, p = 1, type = c("const", "trend", "both", "none"),
    season = NULL, exogen = NULL, lag.max = NULL,
    ic = c("AIC", "HQ", "SC", "FPE"))
## S3 method for class 'varest'
print(x, digits = max(3, getOption("digits") - 3), ...)
```

Arguments

y	Data item containing the endogenous variables
p	Integer for the lag order (default is p=1).
type	Type of deterministic regressors to include.
season	Inclusion of centered seasonal dummy variables (integer value of frequency).
exogen	Inclusion of exogenous variables.
lag.max	Integer, determines the highest lag order for lag length selection according to the chosen ic.
ic	Character, selects the information criteria, if lag.max is not NULL.
x	Object with class attribute 'varest'.
digits	the number of significant digits to use when printing.
...	further arguments passed to or from other methods.

Details

Estimates a VAR by OLS per equation. The model is of the following form:

$$\mathbf{y}_t = A_1 \mathbf{y}_{t-1} + \dots + A_p \mathbf{y}_{t-p} + CD_t + \mathbf{u}_t$$

where \mathbf{y}_t is a $K \times 1$ vector of endogenous variables and \mathbf{u}_t assigns a spherical disturbance term of the same dimension. The coefficient matrices A_1, \dots, A_p are of dimension $K \times K$. In addition, either a constant and/or a trend can be included as deterministic regressors as well as centered seasonal dummy variables and/or exogenous variables (term CD_T , by setting the type argument to the corresponding value and/or setting season to the desired frequency (integer) and/or providing a matrix object for exogen, respectively. The default for type is const and for season and exogen the default is set to NULL.

If for lag.max an integer value is provided instead of NULL (the default), the lag length is determined by the selected information criteria in ic, the default is Akaike.

Value

A list with class attribute 'varest' holding the following elements:

varresult	list of 'lm' objects.
datamat	The data matrix of the endogenous and explanatory variables.
y	The data matrix of the endogenous variables
type	A character, specifying the deterministic regressors.
p	An integer specifying the lag order.
K	An integer specifying the dimension of the VAR.
obs	An integer specifying the number of used observations.
totobs	An integer specifying the total number of observations.
restrictions	Either NULL or a matrix object containing the zero restrictions of the VAR(p).
call	The call to VAR().

Author(s)

Bernhard Pfaff

References

- Hamilton, J. (1994), *Time Series Analysis*, Princeton University Press, Princeton.
- Lütkepohl, H. (2006), *New Introduction to Multiple Time Series Analysis*, Springer, New York.

See Also

[summary](#), [plot](#), [coef](#), [residuals](#), [fitted](#), [predict](#), [irf](#), [fevd](#), [Phi](#), [Psi](#), [normality.test](#), [arch.test](#), [serial.test](#), [VARselect](#), [logLik](#)

Examples

```
data(Canada)
VAR(Canada, p = 2, type = "none")
VAR(Canada, p = 2, type = "const")
VAR(Canada, p = 2, type = "trend")
VAR(Canada, p = 2, type = "both")
```

vars-deprecated

*Deprecated Functions in package vars***Description**

These functions are provided for compatibility with older versions of package vars only, and may be defunct as soon as the next release.

Details

'A' is a deprecated synonym for 'Acoef'.
 'arch' is a deprecated synonym for 'arch.test'.
 'B' is a deprecated synonym for 'Bcoef'.
 'normality' is a deprecated synonym for 'normality.test'.
 'serial' is a deprecated synonym for 'serial.test'.

See Also

[Acoef](#), [arch.test](#), [Bcoef](#), [normality.test](#), [serial.test](#)

VARselect

*Information criteria and FPE for different VAR(p)***Description**

The function returns information criteria and final prediction error for sequential increasing the lag order up to a VAR(p)-process. which are based on the same sample size.

Usage

```
VARselect(y, lag.max = 10, type = c("const", "trend", "both", "none"),
season = NULL, exogen = NULL)
```

Arguments

y	Data item containing the endogenous variables
lag.max	Integer for the highest lag order (default is lag.max = 10).
type	Type of deterministic regressors to include.
season	Inclusion of centered seasonal dummy variables (integer value of frequency).
exogen	Inclusion of exogenous variables.

Details

Estimates a VAR by OLS per equation. The model is of the following form:

$$\mathbf{y}_t = A_1 \mathbf{y}_{t-1} + \dots + A_p \mathbf{y}_{t-p} + CD_t + \mathbf{u}_t$$

where \mathbf{y}_t is a $K \times 1$ vector of endogenous variables and \mathbf{u}_t assigns a spherical disturbance term of the same dimension. The coefficient matrices A_1, \dots, A_p are of dimension $K \times K$. In addition, either a constant and/or a trend can be included as deterministic regressors as well as centered seasonal dummy variables and/or exogenous variables (term CD_T , by setting the type argument to the corresponding value and/or setting season to the desired frequency (integer) and/or providing a matrix object for exogen, respectively. The default for type is const and for season and exogen the default is set to NULL.

Based on the same sample size the following information criteria and the final prediction error are computed:

$$\begin{aligned} AIC(n) &= \ln \det(\tilde{\Sigma}_u(n)) + \frac{2}{T} n K^2 \quad , \\ HQ(n) &= \ln \det(\tilde{\Sigma}_u(n)) + \frac{2 \ln(\ln(T))}{T} n K^2 \quad , \\ SC(n) &= \ln \det(\tilde{\Sigma}_u(n)) + \frac{\ln(T)}{T} n K^2 \quad , \\ FPE(n) &= \left(\frac{T + n^*}{T - n^*} \right)^K \det(\tilde{\Sigma}_u(n)) \quad , \end{aligned}$$

with $\tilde{\Sigma}_u(n) = T^{-1} \sum_{t=1}^T \hat{\mathbf{u}}_t \hat{\mathbf{u}}_t'$ and n^* is the total number of the parameters in each equation and n assigns the lag order.

Value

A list with the following elements:

selection	Vector with the optimal lag number according to each criterium.
criteria	A matrix containing the values of the criteria up to lag.max.

Author(s)

Bernhard Pfaff

References

- Akaike, H. (1969), Fitting autoregressive models for prediction, *Annals of the Institute of Statistical Mathematics*, **21**: 243-247.
- Akaike, H. (1971), Autoregressive model fitting for control, *Annals of the Institute of Statistical Mathematics*, **23**: 163-180.
- Akaike, H. (1973), Information theory and an extension of the maximum likelihood principle, in B. N. Petrov and F. Csáki (eds.), *2nd International Symposium on Information Theory*, Akadémia Kiadó, Budapest, pp. 267-281.

Akaike, H. (1974), A new look at the statistical model identification, *IEEE Transactions on Automatic Control*, **AC-19**: 716-723.

Hamilton, J. (1994), *Time Series Analysis*, Princeton University Press, Princeton.

Hannan, E. J. and B. G. Quinn (1979), The determination of the order of an autoregression, *Journal of the Royal Statistical Society*, **B41**: 190-195.

Lütkepohl, H. (2006), *New Introduction to Multiple Time Series Analysis*, Springer, New York.

Quinn, B. (1980), Order determination for a multivariate autoregression, *Journal of the Royal Statistical Society*, **B42**: 182-185.

Schwarz, G. (1978), Estimating the dimension of a model, *Annals of Statistics*, **6**: 461-464.

See Also

[VAR](#)

Examples

```
data(Canada)
VARselect(Canada, lag.max = 5, type="const")
```

vec2var

Transform a VECM to VAR in levels

Description

An object of formal class 'ca.jo' is transformed to a VAR in level presentation.

Usage

```
vec2var(z, r = 1)
```

Arguments

z	An object of class 'ca.jo' generated by function <code>ca.jo()</code> in package 'urca'.
r	The cointegration rank (default is <code>r=1</code>).

Details

This function enables the user to transform a vector-error-correction model (VECM) into a level-VAR form. The rank of the matrix Π has to be submitted, *i.e.* how many cointegration relationships have been determined according to the outcome of `ca.jo()`.

Value

A list with class attribute 'vec2var' holding the following elements:

deterministic	The matrix of deterministic coefficients.
A	A list with matrix object(s) containing the coefficients for the lagged endogenous variables.
p	The lag-order of the estimated VAR-process.
K	The count of endogenous variables.
y	A dataframe with the endogenous variables in levels.
obs	An integer signifying the count of used observations.
totobs	An integer signifying the total number of observations, <i>i.e</i> including observations taken as starting values..
call	The call to vec2var.
vecm	The supplied object z of formal class <code>ca.jo</code> .
datamat	A dataframe with the used dataset.
resid	A matrix with the residuals from the empirical VAR(p).
r	Integer, the assigned co-integration rank from the call.

Author(s)

Bernhard Pfaff

References

Hamilton, J. (1994), *Time Series Analysis*, Princeton University Press, Princeton.
 Lütkepohl, H. (2006), *New Introduction to Multiple Time Series Analysis*, Springer, New York.

See Also

[ca.jo](#), [predict](#), [irf](#), [fevd](#), [Phi](#), [Psi](#), [normality.test](#), [arch.test](#), [serial.test](#), [logLik](#), [plot](#)

Examples

```
library(urca)
data(finland)
sjf <- finland
sjf.vecm <- ca.jo(sjf, ecdet = "none", type = "eigen", K = 2,
spec = "longrun", season = 4)
vec2var(sjf.vecm, r = 2)
```

Index

- * **A-model**
 - SVAR, 38
- * **AB-model**
 - SVAR, 38
- * **ARCH**
 - arch.test, 3
- * **Akaike**
 - VARselect, 46
- * **Autoregressive Conditional Heteroskedasticity**
 - arch.test, 3
- * **B-model**
 - SVAR, 38
 - SVEC, 41
- * **Blanchard-Quah**
 - BQ, 6
- * **Breusch Godfrey**
 - serial.test, 32
- * **Causality**
 - causality, 9
- * **Empirical Fluctuation Process**
 - stability, 34
- * **Fanchart**
 - fanchart, 12
- * **Final Prediction Error**
 - VARselect, 46
- * **Forecasts of VAR**
 - predict, 25
- * **Granger Causality**
 - causality, 9
- * **Hannan-Quinn**
 - VARselect, 46
- * **Heteroskedasticity**
 - arch.test, 3
- * **Impulse Response Function**
 - Phi, 20
 - Psi, 27
- * **Impulse Responses**
 - Phi, 20
 - Psi, 27
- * **Information criteria**
 - VARselect, 46
- * **Instantaneous Causality**
 - causality, 9
- * **Jarque-Bera**
 - normality.test, 19
- * **Kurtosis**
 - normality.test, 19
- * **Moving Average Representation**
 - Phi, 20
 - Psi, 27
- * **Normality**
 - normality.test, 19
- * **Orthogonalised Impulse Responses**
 - Psi, 27
- * **Portmanteau**
 - serial.test, 32
- * **Prediction of VAR**
 - predict, 25
- * **SVAR**
 - BQ, 6
 - irf, 16
 - logLik, 18
 - SVAR, 38
- * **SVECM**
 - logLik, 18
 - SVEC, 41
- * **SVEC**
 - SVEC, 41
- * **Schwarz**
 - VARselect, 46
- * **Serial Correlation**
 - serial.test, 32
- * **Serially correlated errors**
 - serial.test, 32
- * **Skewness**
 - normality.test, 19
- * **Structural Stability**

- stability, 34
- * **Structural VAR**
 - BQ, 6
 - SVAR, 38
- * **Structural VECM**
 - SVEC, 41
- * **Structural Vector Autoregressive**
 - BQ, 6
 - SVAR, 38
- * **Structural Vector Error Correction Model**
 - SVEC, 41
- * **Structural vector autoregressive model**
 - irf, 16
- * **VAR**
 - arch.test, 3
 - causality, 9
 - fevd, 13
 - irf, 16
 - logLik, 18
 - normality.test, 19
 - Phi, 20
 - predict, 25
 - Psi, 27
 - restrict, 29
 - serial.test, 32
 - stability, 34
 - VAR, 44
 - VARselect, 46
 - vec2var, 48
- * **VECM**
 - arch.test, 3
 - fevd, 13
 - irf, 16
 - logLik, 18
 - normality.test, 19
 - Phi, 20
 - predict, 25
 - Psi, 27
 - serial.test, 32
 - vec2var, 48
- * **Vector autoregressive model**
 - arch.test, 3
 - causality, 9
 - fevd, 13
 - irf, 16
 - normality.test, 19
 - restrict, 29
 - serial.test, 32
 - stability, 34
 - VAR, 44
 - VARselect, 46
 - vec2var, 48
- * **Vector autoregressive**
 - logLik, 18
 - Phi, 20
 - predict, 25
 - Psi, 27
- * **datasets**
 - Canada, 8
- * **efp**
 - stability, 34
- * **fevd**
 - fevd, 13
- * **forecast error variance decomposition**
 - fevd, 13
- * **impulse response function**
 - irf, 16
- * **irf**
 - irf, 16
- * **logLik**
 - logLik, 18
- * **regression**
 - Acoef, 2
 - arch.test, 3
 - Bcoef, 5
 - BQ, 6
 - causality, 9
 - coef, 11
 - fanchart, 12
 - fevd, 13
 - fitted, 15
 - irf, 16
 - logLik, 18
 - normality.test, 19
 - Phi, 20
 - plot, 22
 - predict, 25
 - Psi, 27
 - residuals, 28
 - restrict, 29
 - roots, 31
 - serial.test, 32
 - stability, 34
 - summary, 35
 - SVAR, 38
 - SVEC, 41

- VAR, 44
- vars-deprecated, 46
- VARselect, 46
- vec2var, 48
- * **restricted VAR**
 - restrict, 29
- A (vars-deprecated), 46
- A-deprecated (Acoef), 2
- Acoef, 2, 5, 46
- arch (vars-deprecated), 46
- arch-deprecated (arch.test), 3
- arch.test, 3, 25, 45, 46, 49
- B (vars-deprecated), 46
- B-deprecated (Bcoef), 5
- Bcoef, 3, 5, 46
- BQ, 6
- ca.jo, 49
- Canada, 8
- causality, 9
- coef, 11, 45
- coefficients (coef), 11
- efp, 34, 35
- fanchart, 12, 25, 27
- fevd, 13, 25, 40, 43, 45, 49
- fitted, 15, 45
- ginv, 10
- irf, 16, 25, 40, 43, 45, 49
- logLik, 18, 40, 45, 49
- normality (vars-deprecated), 46
- normality-deprecated (normality.test), 19
- normality.test, 19, 25, 45, 46, 49
- par, 13
- Phi, 14, 17, 20, 28, 45, 49
- plot, 5, 13, 14, 17, 20, 22, 27, 34, 35, 45, 49
- predict, 13, 25, 25, 45, 49
- print.svarest (SVAR), 38
- print.svarsum (summary), 35
- print.svecest (SVEC), 41
- print.svecsum (summary), 35
- print.varcheck (arch.test), 3
- print.varest (VAR), 44
- print.varfevd (fevd), 13
- print.varirf (irf), 16
- print.varprd (predict), 25
- print.varstabil (stability), 34
- print.varsum (summary), 35
- print.vec2var (vec2var), 48
- Psi, 14, 17, 22, 27, 45, 49
- resid, 5
- resid (residuals), 28
- residuals, 28, 45
- restrict, 29
- roots, 31
- serial (vars-deprecated), 46
- serial-deprecated (serial.test), 32
- serial.test, 25, 32, 45, 46, 49
- stability, 25, 34
- summary, 35, 45
- SVAR, 7, 14, 17, 19, 22, 28, 37, 38, 43
- SVEC, 14, 17, 19, 22, 37, 40, 41
- VAR, 3, 5, 7, 11, 13–15, 17, 19, 20, 22, 25, 27–31, 34, 35, 37, 40, 44, 48
- vars-deprecated, 46
- VARselect, 45, 46
- vcovHC, 10
- vec2var, 5, 14, 15, 17, 19, 20, 22, 25, 27–29, 34, 48